


C34COUPE



NOW'S THE TIME TO ENJOY THE CARVER LIFE.

LOA (with Swim Platform)	34' 0"	10.36 m
Beam	11' 6"	3.5 m
Weight (Standard Engines)	17,300 lbs.	7,847kg
Draft (Full load, V-drive, Approx)	40"	1.02 m
Draft (Full load, Sterndrive, Approx)	37"	.94 m
Fuel Capacity	200 gal.	909 L
Water Capacity	78 gal.	295 L
Holding Tank	30 gal.	113.6 L
Bridge Clearance	10'	3.05 m
Cabin Headroom (Lower Level)	6' 5"	1.96 m
Cabin Headroom (Main Level)	6' 8"	2.03 m
Sleeps	6	



CARVER

YACHTS

See The Difference.

STANDARD FEATURES

Construction

- 10-year structural hull limited warranty.
- Hull and deck: Hand-laid structural and non-structural fiberglass and core laminates bonded with infused resin.
- Hull bottom: Surface beneath the water line is bead blasted to create an optimal bonding surface for the anti-fouling paint, which is sprayed onto the hull to create a smooth running bottom.
- Stringer system: Fiberglass stringers are used throughout the yacht.
- Interior bulkheads, cabinets and drawers are precision cut, hand-crafted and constructed from a selection of woods and high-pressure laminates. Drawers are lined with laminate.
- Meets or exceeds all applicable U.S. Coast Guard safety standards
- NMMA certified
- CE certification available

Deck and Hardware

- Gunwale trim: rigid vinyl with stainless steel insert
- Cleats: (2) 10" bow cleats, (2) 10" spring line cleats and (4) 10" stern cleats, (1) 10" anchor cleat
- Hatch: bow, translucent, opening with screen
- Deck fitting: fuel fill (1)
- Deck fitting: fresh water fill (1)
- Deck fitting: waste, pump-out (1)
- Rails: bow, 1" stainless steel top rail, 1" stanchions, welded, with stainless secondary rail
- Grab rails – stainless steel
- Engine compartment power and static ventilation located in superstructure
- Transom platform - Fixed
- Swim ladder – under mount, centerline of swim platform w/ recessed grab handle
- Nonskid fiberglass decks
- Vinyl ester barrier coat
- Anti-fouling bottom paint
- Bronze seacocks - all underwater through hulls - double SS hose clamps
- Nylon thru-hull fittings with Stainless Steel Caps – above waterline applications
- Standard white gel coat for hull & deck
- Black vinyl boot stripe

Cockpit and Swim Platform

- Self bailing
- Door: sliding 3 panel, locking
- Courtesy lights – 4
- Lighting: Cockpit overhang - 4
- Molded steps: access to side decks
- Cockpit Hatch (1): Engine room access, hinged, gas shock
- Transom storage locker
- Storage under cockpit seats
- Cockpit floor: Removable for engine access
- Engine room lights

- Cockpit seat: L-shaped lounge port
- Cockpit seat: Aft section of backrest folds flat to create a sun pad

Forward Stateroom

- Sleeping berth, storage below
- Shelves: Hull sides
- Deck hatch: White translucent, opening with screen
- Lights: 5 overhead, LED
- Lights: 2 reading
- Lights: Rope light in upper soffit
- Storage: Port hanging locker
- Storage: Foreward starboard alongside berth
- (2) 110V outlets, ground fault protected
- Fixed hull glass window, window blinds
- CO detector

Guest Stateroom and Aft Lounge

- 'L' shaped sofa – convertible to full size berth
- DC panel – overhead
- (2) 110V outlets, ground fault protected
- CO detector
- Lights: 2 reading
- Lights: 4 LED overhead
- Fixed hull glass window, window blinds w/opening port
- Additional dry storage on starboard side at foot of berth
- Storage: Port and aft overhead

Head

- Door: Locking
- Lights: (1) in shower overhead, (3) in head compartment overhead
- Enclosed shower: Molded fiberglass floor liner, plexi door
- Vanity cabinet: Solid surface countertop and vessel sink, storage below
- Mirror: Above vanity, wood framed/storage
- Exhaust fan
- Electric head (fresh water flush)
- Towel bar
- Toilet paper holder
- 110V outlet, ground fault protected
- Fixed hull glass window with opening port

Galley

- Drawers: 3
- Stowage cabinet: 2
- Flooring: Vinyl plank
- Countertop: Solid surface
- Under-mount sink with cover: stainless steel with decorator faucet
- Two burner induction Ceran cook top
- Refrigerator: Dometic
- 110V outlet: 1, ground fault protected
- Powered exhaust vent

Standard features (cont.)

- Lights: overhead
- Microwave
- Slide out trash below the sink
- Storage drawer in port seat base: 2

Salon

- Lights: overhead, 12V, 8 overhead, stainless steel
- Entertainment center: LED/LCD TV – 32"
- Flooring: Vinyl plank
- CO detector
- Elevated port sofa
- Electric opening window – starboard
- Electrical panels: AC installed in seat base
- Salon table: Hi-lo table pedestal
- Sliding door to cabin access, black acrylic, lockable, slides behind helm in open position
- Dash: Upholstered panels
- Fixed skylight w/shade
- Opening hatch w/screen and shade

Helm

- Single helm seat
- Dash console, non-glare
- Engine controls: Engine manufacturer electronic
- Trim tab controls
- Steering: hydraulic / electric
- Engine instrumentation: Engine manufacturer LCD display
- Compass: Ritchie, 4.5" flush mounted
- Steering wheel: Sport
- Accessory outlet, 12V (1)
- Dual USB charger outlet
- Provisions for optional navigation electronics package

Fresh Water and Holding

- Water system: pressure-demand (hot/cold).
- Water heater: 6-gallon
- Dockside water inlet (pressurized)
- Fresh Water Wash Down – Single outlet in transom storage

Electrical

- Horn, 12V single trumpet
- Lighting fixtures, 12V – 14
- Navigation lights (USCG/COL REG approved)
- CATV inlet
- Battery switches (1) accessory and (2) engines (1) optional generator
- Battery auto charging relays (ACR's)
- Batteries: (2) engine, (1) accessory
(1) Optional generator (2) optional bow & stern thruster
- Electronic battery chargers: (1) Accessory battery and engine batteries. (1) Optional generator & thruster
- Single 110V 30 amp dockside electrical with 50' cord
- High bilge water alarm

- Distribution panel: 110V AC, with circuit breakers and voltmeter / amp meter
- Distribution panel: 12V DC, with circuit breakers and voltmeter
- Zinc's: Sacrificial (1) Primary (2) trim tabs (2) propeller shafts
- Ground bonding system.

Safety and Navigation

- Two Blowers for forced air ventilation – Engine compartment
- Fire extinguisher system – automatic HFC 227
- Bilge pumps: Two 1,500 gal. (5678 L) per hour automatic bilge pumps are installed, each with a manual on/off switch at the helm. A float switch for the high bilge water alarm is installed in the engine compartment and forward bilge.
- Bilge ventilation: Four ventilator blowers are installed in the engine compartment. Each blower creates 240 CFM volume.
- CO alarms: Monitors with alarms are installed in both staterooms and the salon.
- Engine alarms: Engine oil pressure and water temperature alarms are installed at the helm.
- Fire suppression System: An HFC227 Fireboy® automatic fire suppression system is installed in the engine compartment.
- Seacocks: Marine grade bronze seacocks are used on all below the waterline through hull openings. Nylon fittings are used on above the waterline outlets.
- Spotlight: ITT Jabsco® remote control spotlight mounted on bow rail.

Propulsion Systems

- Twin Mercruiser 4.5L 250HP – fresh water cooled – Sea Core – B3 Stern Drives
- Engine alarm system
- Stainless Steel propellers – stern drives
- Trim tabs: Bennett Marine® stainless steel, electro-hydraulic trim tabs.
- Steering: Teleflex® SeaStar hydraulic steering.
- Helm display: Digital LCD display showing tachometer, hour meter, oil pressure, coolant temperature, battery voltage, fuel tank level and rudder angle indicator.

OWNER PREFERENCES

Propulsion

- Mercruiser 6.2 350 hp inboard gas engine
- Mercruiser 6.2 Bravo 3 DTS 300 hp Sea Core gas stern drive
- Mercruiser 3.0L Diesel - Axis 260 hp stern drive with Mercury Joystick
- Mercruiser 4.2L 335 hp inboard diesel engine

Mechanical

- Bow thruster
- Bow and stern thruster with single lever control
- Mercury Joystick
- Engine oil change system

C34COUPE

Electrical

- Westerbeke 6.5 MCG gas - 60 HZ generator (No sound shield) 120v 54 amps
- Westerbeke 8.0 KW diesel - 60 HZ generator, 120v 66.6 amps
- Westerbeke 5.2 KW gas - 50 HZ generator, 230V 22.6 amps
- Westerbeke 6.0 KW diesel - 50 HZ generator, 230v 26 amps
- Air conditioning

Water & Waste Systems

- Overboard discharge
- Grey water holding system
- Water and waste monitor
- Transom washdown - Fresh water only
- Transom washdown - Seawater only
- Transom washdown - Fresh and seawater

Safety & Navigation

- Raymarine Axiom Pro navigation electronics package - chartplotter, GPS, sonar, VHF/Hailer
- Raymarine Axiom Pro navigation electronics and radar package - radar, chartplotter, GPS, sonar, VHF/Hailer
- Garmin navigation package 12"
- Garmin Navigation and radar package 12"
- Autopilot - Raymarine
- Autopilot - Garmin
- Ground tackle includes Prince 1000 windlass, anchor, chain, shackle and Line with Snap Hook
- Ground Tackle includes Prince 1000 windlass with capstan, anchor, chain, shackle and line with snap hook
- Stainless steel anchor



Upper Deck Level



Lower Level

Exterior Amenities


- Seat covers
- Exterior fiberglass table with cover
- Exterior carpet
- Exterior Vinyl Color
- Transom handshower
- Transom underwater lighting
- Cockpit refrigerator
- Transom grill
- Cockpit sun shade
- Colored hull upgrade: Sterling Taupe, Carbon Black, Mariana Blue or Anthracite Grey
- Sunroof

Interior Amenities

- Decorator pillows
- Salon blinds
- Salon audio upgrade
- Master stateroom TV & Blu-Ray player
- Second stateroom TV & Blu-Ray player
- Privacy bulkhead - Lower level cabin
- Carpet runner

Miscellaneous

- Sailaway package - Required with water delivery
- European certification



Shown with optional guest privacy bulkhead

CARVER
YACHTS
See The Difference.



Information described in this publication is believed to be correct at time of printing. Some accessories shown in photographs, or described, may not be standard equipment or even available as an option. For a full list of standard and optional features, visit www.carveryachts.com. Features are subject to change without notice. Confirm availability of all accessories and equipment with an authorized Carver Yachts dealer prior to purchase.