

C37 COUPE



LIVE THE CRUISING LIFE WITH FLAIR

LOA (with Swim Platform)	37' 8"	11.28 m
Beam	13' 0"	3.96 m
Draft (Full Load)	3' 2"	0.96 m
Weight (Dry with Standard Engines)	18,000 lbs.	8,165 kg
Bridge Clearance (without Radar & Mast)	10' 6"	3.20 m
Fuel Capacity (Diesel)	250 U.S. gal.	946.4 L
Fuel Capacity (Gas)	250 U.S. gal.	946.4 L
Water System	90 U.S. gal.	340 L
Holding Tank	40 U.S. gal.	132.5 L
Headroom	6' 7"	2.0 m
Sleeps	6	



CARVER
YACHTS
See The Difference.

STANDARD FEATURES

Construction

- Hull and deck: Hand-laid structural and non-structural fiberglass and core laminates bonded with infused resin.
- Hull bottom: Surface beneath the water line is bead blasted to create an optimal bonding surface for the anti-fouling paint which is sprayed onto the hull to create a smooth running bottom.
- Stringer system: Fiberglass stringers are used throughout the yacht.
- Interior bulkheads, cabinets and drawers are precision cut, hand-tt crafted and constructed from a selection of woods and high-pressure laminates. Drawers are lined with laminate.
- Integral aluminum truss reinforcement in cabin top structure.

Electrical

- Horn, 12V single trumpet.
- Lighting fixtures, 12V LED (14).
- Navigation lights (USCG/COL REG approved).
- CATV inlet.
- Battery switches on/off (1) accessory, (2) engines, (1) optional generator, (1) optional thruster.
- Digital charge distribution system.
- Batteries: (2) engine, (1) accessory, (1) optional generator, (1) optional bow thruster.
- Digital electronic battery chargers: (1) accessory and engine batteries, (1) optional generator and thruster batteries.
- Single AC 30 amp dockside electrical service with 50' cord.
- Distribution panel: AC, with circuit breakers and voltmeter/ammeter.
- Distribution panel: 12V DC, with circuit breakers.
- Zinc's: Sacrificial (1) primary (2) trim tabs (2) propeller shafts.
- Ground bonding system.
- High bilge water alarm.

Propulsion

- Gasoline: Twin Mercruiser® 6.2 Bravo Three, SeaCore stern drive 350 hp.
- Fuel tanks: Twin, 5052 aluminum tanks hold 125 gal. (473.2 L) of fuel each. Port and starboard fuel fill deck fittings.
- Trim tabs: Bennett Marine® stainless steel, electro-hydraulic trim tabs.
- Steering: Teleflex® SeaStar hydraulic steering.
- Helm display: Digital LCD display showing tachometer, hour meter, oil pressure, coolant temperature, battery voltage, fuel tank level and rudder angle indicator.

Fresh Water & Holding Systems

- Fresh water system: 90 gal. (340 L) polyethylene tank with shore water connection and integrated pressure reduction valve.
- Fresh water fill fitting installed on walkway. 11 gal. (41.6 L) water heater installed in engine compartment.
- On demand fresh water is delivered via a fresh water pump installed in the engine compartment.

Decks & Hardware

- Gunwale trim: Rigid vinyl with stainless steel inserts.
- Cleats: (2) 10" bow, (2) 10" spring line, (2) 10" stern, (2) 10" swim platform, (1) 10" anchor.

- Hatch: Bow, translucent, opening with screen.
- Deck fitting: Fuel fills (2).
- Deck fitting: Fresh water fill (1).
- Deck fitting: Waste, pump out (1).
- Rails: Bow, 1" stainless steel top rail, 1" stanchions, welded, with stainless secondary rail.
- Grab rails: Stainless steel.
- Engine compartment power and static ventilation located in superstructure.
- Transom platform: Fixed.
- Swim Ladder: Under mount, starboard side of swim platform with recessed grab handle.
- Nonskid fiberglass decks.
- Vinyl ester barrier coat.
- Anti-fouling bottom paint.
- Bronze seacocks: All underwater through hulls; double SS hose clamps.
- Nylon through-hull fittings with stainless steel caps; above waterline applications.
- Standard white gel coat for hull and deck.
- Black vinyl boot stripe.

Safety & Navigation

- Bilge pumps: Two 1,500 gal. (5678 L) per hour automatic bilge pumps are installed, each with a manual on/off switch at the helm. A float switch for the high bilge water alarm is installed in the engine compartment and forward bilge.
- Bilge ventilation: Four ventilator blowers are installed in the engine compartment. Each blower creates 240 CFM volume.
- CO alarms: Monitors with alarms are installed in both staterooms and the salon.
- Engine alarms: Engine oil pressure and water temperature alarms are installed at the helm.
- Fire suppression System: An FE241 Fireboy® automatic fire suppression system is installed in the engine compartment.
- Compass: 2.75" flush mount, illuminated Ritchie® Navigator compass is mounted at the helm.
- Seacocks: Marine grade bronze seacocks are used on all below the waterline through hull openings. Nylon fittings are used on above the waterline outlets.
- Spotlight: ITT Jabsco® remote control spotlight mounted on bow rail.

Helm

- Dual helm seat, helm side adjustable.
- Dash console, non glare.
- Engine controls: Engine manufacturer electronic.
- Trim tab controls.
- Steering: Hydraulic.
- Engine Instrumentation: Engine manufacturer LCD display.
- Compass: Ritchie, 2.75", illuminated.
- Steering wheel: Sport.
- Accessory outlet, 12V (1).
- Beverage holder.
- USB outlet.

Standard features (cont.)

Cockpit/Transom/Swim Deck

- Self-bailing cockpit.
- Door: Hinged cabin entry, locking, black painted, flat glass.
- Courtesy lights (4).
- Lighting: Overhead in bridge overhang (4).
- Molded steps: Access to side decks.
- Cockpit hatch (1): Engine room access, hinged, gas shock.
- Cockpit floor Storage (1): Storage box.
- Transom door: Transom storage locker with dockside connections and shower option. Accessible through cockpit seating or aft transom doors.
- Cockpit floor: Removable for engine or generator extraction.
- Cockpit seat: L-shaped lounge port, single seat starboard.
- Switch panel for exterior lighting.
- Engine room lights.
- Armrest with stainless steel cup holder.

Salon

- Lights: (8) LED overhead, stainless steel trim.
- Entertainment center: 32" LCD TV and Blu-Ray DVD player.
- Flooring: Carpet.
- CO detector.
- Color-coordinated starboard sofa with storage under cushions.
- Forward companion seat.
- Aft section of sofa backrest converts to allow additional cockpit seating.
- Opening window: Port and starboard.
- Glass sunroof with shade: Electronic control.
- Electrical panels: DC and AC, installed in cabinet.
- Salon table: Hi-lo table pedestal converts to bed.

Galley

- Drawers (4).
- Storage cabinet (4).
- Flooring: Vinyl plank.
- Countertop: Solid surface.
- Sink: Stainless steel with designer faucet.
- Stove: Two burner induction cook top.
- Refrigerator: Nova Cool®, Norcold®.
- AC electrical outlets: Two, ground fault protected.
- Lights: Overhead.
- Microwave: Convection.
- Coffeemaker storage.
- Trash below the sink.
- (2) in-floor storage areas.

Master Stateroom

- Sleeping: Queen-size, island berth with high-density foam mattress.
- Door: Access to stateroom, locking.
- Berth: Island, full-sized berth.
- Shelves: Hull sides.
- Deck hatch: Opening; white translucent with screen.
- Sheet and towel set.

- Lights: (6) LED overhead.
- Lights: (2) reading.
- Storage: Port hanging locker.
- Storage: Starboard hanging locker with mirror.
- Storage: Port and starboard overhead.
- (2) AC electrical outlets, ground fault protected.
- Hull windows with blinds.
- CO detector.
- 6' 5" headroom.

Guest Stateroom

- Hanging Locker: Outboard, mirrored, illuminated, full cabin height.
- (2) AC electrical outlets, ground fault protected.
- CO detector.
- Door: Locking.
- Lights: Three LED overhead.
- Bed: Twins convert to queen with filler cushion.
- Hull windows with blinds.

Head

- Enclosed Shower: Molded fiberglass floor liner, plexiglass door.
- Door: Locking.
- Lights: (1) LED in shower overhead. (3) LED in head compartment overhead.
- Vanity cabinet: Solid surface countertop and vessel sink, storage below.
- Mirror: Above vanity, wood framed.
- Exhaust fan.
- Electric head (fresh water flush).
- Towel bar.
- Toilet paper holder.
- AC electrical outlet (1), ground fault protected.
- Opening, screened port light (1).

OWNER PREFERENCES

Propulsion

- Mercruiser 3.0L diesel – Axius 260 hp stern drive with Mercury joystick.
- Mercruiser 4.2L diesel – Axius 370 hp stern drive with Mercury joystick.
- Mercruiser 4.2L diesel inboard 335 hp.
- Mercruiser 6.2L 350 hp inboard gas engine.
- Volvo D4 300 hp EVCE stern drive DPH diesel engine.
- Volvo D4 EVC 300 hp inboard diesel engine.

Mechanical

- Bow and stern thruster with single lever control.
- Bow thruster.
- Engine oil change system.
- Mercury joystick (for Mercruiser 6.2 350hp stern drive engine).
- Volvo joystick (for Volvo D4 stern drive engine).

Owner Preferences (cont.)

Electrical

- Air conditioning - 25,000 BTU (requires 7.0 KW generator or larger).
- Kohler 6.0 KW gas – 50 HZ generator, 230V 26 amps.
- Kohler 7.0 KW diesel – 50 HZ generator, 230V 30.4 amps.
- Kohler 7.5 KW gas – 60 HZ generator, 120V 62.5 amps.
- Kohler 9.0 KW diesel – 60 HZ generator, 120V 75 amps.
- Westerbeke 5.2 KW gas – 50 HZ generator, 230V 22.6 amps.
- Westerbeke 6.0 KW diesel – 50 HZ generator, 230V 26 amps.
- Westerbeke 6.5 MCG gas – 60 HZ generator, (no sound shield) 120V 54 amps.
- Westerbeke 8.0 KW diesel – 60 HZ generator, 120V 66.6 amps.

Water & Waste Systems

- Grey water holding system.
- Overboard discharge.
- Transom washdown – fresh and seawater.
- Transom washdown – fresh water only.
- Transom washdown – seawater only.
- Water and Waste Monitor.

Safety & Navigation

- Garmin autopilot.
- Garmin navigation and radar package 12".
- Garmin navigation package 12".
- Radar mast.
- Raymarine Axiom navigation electronics and radar package – radar, chartplotter, GPS, sonar, VHF/hailer.
- Raymarine Axiom navigation electronics package – chartplotter, GPS, sonar, VHF/hailer.
- Raymarine autopilot.
- Ground tackle includes Prince 1000 windlass, anchor, chain, shackle and line with snap hook.

- Ground tackle includes Prince 1000 windlass with capstan, anchor, chain, shackle and line with snap hook.
- Stainless steel anchor.

Interior

- Decorator pillows.
- Carpet runner.
- Master stateroom TV & Blu-Ray player.
- Salon audio upgrade.
- Salon blinds.
- Salon laminate wood flooring.
- Lower level laminate wood flooring.

Exterior

- Cockpit icemaker (not available with cockpit refrigerator).
- Cockpit refrigerator (not available with cockpit icemaker).
- Cockpit sun shade.
- Colored hull upgrade: Sterling Taupe, Carbon Black, Mariana Blue or Anthracite Grey.
- Exterior carpet.
- Exterior teak table with cover and sun pad.
- Exterior vinyl color.
- Foredeck sun pad with cover.
- Passerelle – mounting reinforcements only.
- Salon door screen.
- Seat covers.
- Transom handshower.
- Transom underwater lighting.

Miscellaneous

- Sailaway package – required with water delivery.
- European Certification.



Upper Deck Level



Lower Level



Information described in this publication is believed to be correct at time of printing. Some accessories shown in photographs, or described, may not be standard equipment or even available as an option. For a full list of standard and optional features, visit www.carveryachts.com. Features are subject to change without notice. Confirm availability of all accessories and equipment with an authorized Carver Yachts dealer prior to purchase.

CARVER
YACHTS
See The Difference.

790 Markham Drive
Pulaski, WI 54162-1010
carveryachts.com