

2016 Option List

Purchaser	STOCK BOAT	159/A5162	USD	
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	110v	449,000	
	DESTINATION	Ft Lauderdale, FL, USA		
	NUMBER OF CABINS	3		
INTERIOR				
L44-1001	Upholstery - Pack1 - Standard - Faux-Leather "Milk" (Light)	0	<input checked="" type="checkbox"/>	0
L44-1002	Upholstery - Pack2 - Suede "Kudu" (Light)	0	<input type="checkbox"/>	
L44-1003	Upholstery - Pack3 - Faux-Leather "Artisan" (Darker)	0	<input type="checkbox"/>	
L44-1004	Upholstery - Pack4 - Suede "Stallion Moon" (Darker)	0	<input type="checkbox"/>	
L44-1300	Full length mirrors behind cabin doors (4)	537	<input type="checkbox"/>	
L44-1301	Full length mirrors for 3-Cabin Layout (3)	407	<input type="checkbox"/>	
L44-1320	Extra storage lockers in lieu of settee in owner's stateroom (3-cabin layout)	0	<input checked="" type="checkbox"/>	0
L44-1350	Forepeak child berths, including mattresses for 4 cabin layout (2)	1,714	<input type="checkbox"/>	
L44-1351	Forepeak child berth for 3-Cabin Layout, including mattress (1)	929	<input type="checkbox"/>	
L44-1600	Interior saloon blinds - front & side windows	4,001	<input checked="" type="checkbox"/>	4,001
L44-1700	Saloon table convertible to coffee table	950	<input type="checkbox"/>	
L44-1750	Saloon table convertible to coffee table and/or double bunk complete with cushions	1,673	<input checked="" type="checkbox"/>	1,673
L44-1760	Saloon table convertible to double bunk complete with cushions	710	<input type="checkbox"/>	
L44-1900	Upholstered ottoman at study desk - 3 cabin layout	429	<input checked="" type="checkbox"/>	429
ENGINES & DRIVE				
L44-2000	Yanmar 4JH45 45hp engines with sail drives in lieu of std engines (2)	5,943	<input checked="" type="checkbox"/>	5,943
L44-2110	Brunton folding prop upgrade for optional Yanmar 39hp engines with sail drive in lieu of std fixed props (2)	5,429	<input type="checkbox"/>	
NAVIGATION & ELECTRONICS				
L44-3200	Fusion Marine speakers in saloon (2) & aft cockpit (2) with wired remote control at helm station. - Note: Raymarine MDFs (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system.	1,714	<input checked="" type="checkbox"/>	1,714
L44-3220	External speakers in fwd cockpit: 2 x speakers with wired remote and amplifier	1,071	<input type="checkbox"/>	
L44-3304	Raymarine Base Pack: includes Ray55 VHF at navstation (EUROPE-RoW), p70 color autopilot, e7 chartplotter with WiFi, i60 wind instrument & i50 Tridata speed, log & depth instrument with retract. depth & speed transducers.	11,500	<input type="checkbox"/>	
L44-3305	Raymarine Base Pack: includes Ray55 VHF at navstation (US-CARIB), p70 color autopilot, e7 chartplotter with WiFi, i60 wind instrument & i50 Tridata speed, log & depth instrument with retract. depth & speed transducers.	11,500	<input checked="" type="checkbox"/>	11,500
L44-3307	Upgrade: 2x i70 color instrument displays, in lieu of i60 wind instrument and i50 Tridata. Note:- This option requires option L44-3304 or L44-3305.	1,129	<input checked="" type="checkbox"/>	1,129
L44-3310	Raymic 2nd station VHF at helm for Ray55	314	<input checked="" type="checkbox"/>	314
L44-3316	e9 Hybridtouch multifunction display with WiFi at helmstation in lieu of e7 chartplotter with WiFi	2,143	<input type="checkbox"/>	
L44-3335	Raymarine Wireless Remote Controller	1,100	<input checked="" type="checkbox"/>	1,100
L44-3341	Digital Radar: includes 4kw 18" 48nm digital Radome scanner c/w mast bracket and genoa protection. Note: requires at least one e-series MFD on board.	3,357	<input type="checkbox"/>	
L44-3342	HD Colour Radar includes 4kW 18" 48nm Radome scanner. Note: requires base pack.	4,571	<input type="checkbox"/>	
L44-3346	Fishfinder – fitted in conjunction with MFD (helm station only): Includes P319 (600W) depth transducer, network cable & switch. Note: This option requires a base pack.	2,357	<input type="checkbox"/>	
L44-3350	Zone B compass in lieu of std zone A compass	0	<input type="checkbox"/>	
L44-3360	Zone C compass in lieu of std zone A compass	0	<input type="checkbox"/>	
L44-3371	1 x Garmin GC10 Standard Image Fwd facing camera (Requires at least one Raymarine MFD at helm)	643	<input type="checkbox"/>	
L44-3380	Raymarine Automatic Identification System with AIS 350 Receiver. This option requires a base	1,500	<input type="checkbox"/>	
L44-3381	Raymarine Automatic Identification System with AIS 650 Transceiver. This option requires a	2,286	<input type="checkbox"/>	
ELECTRICAL				
L44-4100	110 volt Shore Power Pack: includes 2 heavy duty 50 ft 30 amp shore power lines, AC switch panel, AC outlets in cabins, galley, at freezer and switch panel	5,616	<input checked="" type="checkbox"/>	5,616
L44-4110	220 volt Shore Power Pack: includes 2 heavy duty 50 ft 30 amp shore power lines, AC switch panel, HWC 220 volt conversion, AC outlets in cabins, galley, at freezer and switch panel	5,616	<input type="checkbox"/>	
L44-4150	Battery charger 60amp	1,257	<input checked="" type="checkbox"/>	1,257
L44-4200	Shaver outlets in heads, 110 volt with GFI protection for 4 cabin layout (4) (Only for boats with 110 volt systems, option L44-4100)	956	<input type="checkbox"/>	

L44-4201	Shaver outlets in heads, 110 volt with GFI protection for 3 cabin layout (3) (Only for boats with 110 volt systems, option L44-4100)	716	<input checked="" type="checkbox"/>	716
L44-4210	Shaver outlets in heads, combination 220 volt/110 volt with transformer current protection (4) (Only for boats with 220 volt systems, option L44-4110)	1,183	<input type="checkbox"/>	
L44-4211	Shaver outlets in heads, combination 220 volt/110 volt with transformer current protection for 3 cabin layout (3) (Only for boats with 220 volt systems, option L44-4110)	896	<input type="checkbox"/>	
L44-4300	Inverter/Battery Charger: 12V - 110V/2.0 kW inverter with 100A change rate, including remote operation panel with battery monitor (only for boats with 110v systems, option L44-4100)	3,714	<input type="checkbox"/>	
L44-4315	Inverter/Battery Charger: 12V - 220V/2.7kW inverter with 125A change rate, including remote operation panel with battery monitor (only for boats with 220v systems, option L44-4110).	4,571	<input type="checkbox"/>	
L44-4400	Battery monitor to provide status on house batteries (not to be ordered if inverter/charger option L44-4300/4315 chosen as a monitor is included.)	357	<input type="checkbox"/>	
L44-4500	Upgrade standard Lead Acid house and engine batteries to AGM batteries	964	<input checked="" type="checkbox"/>	964
L44-4510	One additional AGM house battery (210 Ahr) - House battery note: A maximum of one additional	829	<input checked="" type="checkbox"/>	829
L44-4600	Ventilation fans in saloon (2) and cabins (4) - (total 6)	871	<input type="checkbox"/>	
L44-4601	Ventilation fans in saloon (2) and cabins (3) for Three Cabin Layout - (total 5)	671	<input checked="" type="checkbox"/>	671
L44-4700	Double USB socket in cabins – 3 cabin layout	214	<input type="checkbox"/>	
L44-4710	Double USB socket in cabins – 4 cabin layout	286	<input type="checkbox"/>	
L44-4900	Windlass "up" footswitch	207	<input type="checkbox"/>	
L44-5200	Genset - Northern Lights 6 kW supplied from aft fuel tank	22,714	<input checked="" type="checkbox"/>	22,714
L44-5215	Provision for genset (includes fuel supply, exhaust system with through hull fittings and cooling water system, but excludes genset unit, wiring, battery and genset control panel). Only for boats with shore power pack (In lieu of L44-5200)	5,857	<input type="checkbox"/>	
L44-5250	Air-conditioning System Cruisair 2 x 16,000 BTU 110 volt	14,803	<input checked="" type="checkbox"/>	14,803
L44-5255	Air-conditioning System Cruisair 2 x 16,000 BTU 220 volt	14,803	<input type="checkbox"/>	
L44-5260	Provision for Air-conditioning System (2 x 16 000 BTU - 110V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls	6,143	<input type="checkbox"/>	
L44-5265	Provision for Air-conditioning System (2 x 16 000 BTU - 220V) - Includes ducting, air vents and cooling water system, but excludes aircon units and controls.	6,143	<input type="checkbox"/>	
L44-5420	Winches: 1 x Electric Sheet winch in lieu of standard	2,143	<input type="checkbox"/>	
L44-5670	Provision for TV/DVD in saloon - bracket and AC outlet	414	<input type="checkbox"/>	
L44-5700	Solar panels 70w each fitted to hard top (2)	3,429	<input type="checkbox"/>	
L44-5710	Solar panels 70w each fitted to hard top (4)	6,714	<input checked="" type="checkbox"/>	6,714
L44-5800	Underwater Lights - 4 x Blue mounted in stern	4,557	<input type="checkbox"/>	

PLUMBING

L44-6151	Electric flushing toilets: Jabsco quiet flush (seawater option) in lieu of standard toilet for Three Cabin Layout - 1 only for Owner's Head	866	<input type="checkbox"/>	
L44-6153	Electric flushing toilets: Jansco quiet flush (seawater option) in lieu of standard toilets for 3-Cabin Layout (3)	2,597	<input checked="" type="checkbox"/>	2,597
L44-6154	Electric flushing toilets: Jabsco quiet flush (seawater option) in lieu of standard toilets (4)	3,451	<input type="checkbox"/>	
L44-6200	Combination mixer shower faucet in galley in lieu of standard faucet	110	<input checked="" type="checkbox"/>	110
L44-6300	Extra water tank 220 liter/58 US gallon (1)	1,097	<input type="checkbox"/>	
L44-6500	Watermaker: Spectra Newport 400 (12 volt), 63 liter/17 US gallon per hour; includes MPC-3000 controller system	21,071	<input type="checkbox"/>	
L44-6510	Watermaker: Spectra Newport 400 (12 volt), 63 liter/17 US gallon per hour; incl MPC-3000 controller system plus optional Z-Brane electronic water treatment system	23,777	<input type="checkbox"/>	
L44-6800	Deck wash fitting and pump - dual fresh/salt water system	866	<input checked="" type="checkbox"/>	866
L44-6850	Stern shower: Hot/cold water in lieu of cold only	263	<input type="checkbox"/>	

HEATING, REFRIGERATION & GAS

L44-7100	LPG Gas outlet on stern rail for optional barbeque	497	<input checked="" type="checkbox"/>	497
L44-7750	Icemaker installed in galley (110V) - trash bin moved to under sink (Only for boats with 110v systems, option L44-4100)	2,429	<input type="checkbox"/>	
L44-7751	Icemaker installed in galley (220V) - trash bin moved to under sink (Only for boats with 220v systems, option L44-4110)	2,429	<input type="checkbox"/>	

DECK & HULL

L44-8001	Exterior - Pack1 - "Standard" (Blue)	0	<input checked="" type="checkbox"/>	0
L44-8002	Exterior - Pack2 - "Linen" (Beige)	0	<input type="checkbox"/>	
L44-8003	Exterior - Pack3 - "Cadet" (Grey)	0	<input type="checkbox"/>	
L44-8004	Exterior - Pack4 - "Aqua" (Aqua Marine)	0	<input type="checkbox"/>	
L44-8115	Removable helm seat spray dodger	457	<input type="checkbox"/>	
L44-8120	Aft cockpit side & back shade curtains only - as per exterior pack choice	1,714	<input checked="" type="checkbox"/>	1,714
L44-8135	Forward cockpit splash cover - as per exterior pack choice	956	<input type="checkbox"/>	
L44-8150	Coach roof side window removable shade covers	716	<input type="checkbox"/>	
L44-8300	Aft Cockpit Cushions - to suit exterior pack choice. Includes white helm seat cushion	1,571	<input type="checkbox"/>	
L44-8310	Helm seat cushion - white (not to be ordered with all cockpit cushions option B1-8300)	430	<input type="checkbox"/>	
L44-8500	Leather covered steering wheel	343	<input type="checkbox"/>	
L44-8600	Custom stainless steel davit system with tackle complete with electric winch	4,640	<input checked="" type="checkbox"/>	4,640
L44-8900	Composite teak decking: aft & fwd cockpits, helm platform and steps and transom decks	10,714	<input type="checkbox"/>	

SAILS & RIGGING

L44-9100	Gennaker running rigging	866	<input type="checkbox"/>	
L44-9120	Adjustable main outhaul led to helm station	299	<input type="checkbox"/>	
L44-9300	Standard 1.5oz Gennaker - as per exterior pack choice	2,987	<input type="checkbox"/>	

L44-9400	Stackpack - as per exterior pack choice	1,571	<input checked="" type="checkbox"/>	1,571
L44-9500	Bowsprit complete with furler and Code 0	10,156	<input type="checkbox"/>	
L44-9600	Shortened rig: Mast height reduced by 5' from standard 68' above design waterline (half load) to	279	<input type="checkbox"/>	
L44-9700	Square Top mainsail in lieu of standard main	716	<input type="checkbox"/>	

GENERAL EQUIPMENT

L44-9903	55lb (25kg) Delta anchor complete with 165ft (50m) chain	1,913	<input checked="" type="checkbox"/>	1,913
L44-9911	35lb (16kg) Britany anchor complete with 26ft (8m) chain & 200ft (61m) warp	981	<input type="checkbox"/>	
L44-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	417	<input type="checkbox"/>	
L44-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	956	<input type="checkbox"/>	
L44-9918	Anchor bridle, shackles and hook	321	<input checked="" type="checkbox"/>	321
L44-9920	Fenders (6), mooring lines (4, 16mm x 10m), spring lines (2, 16mm x 15m)	860	<input checked="" type="checkbox"/>	860

COMMISSIONING

L44-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching and stepping of mast, installation of sails and rigging, commissioning of equipment and sea trials, 3 days marina fees at RCYC and CE certificate	13,143	<input checked="" type="checkbox"/>	13,143
L44-AUS	Australia Regulation Package	4,214	<input type="checkbox"/>	
	USCG Safety Package including 8 man life raft, U-bolts and tie downs	4,373	<input checked="" type="checkbox"/>	4,373
	CE Safety Package including 8 man life raft, U-bolts and tie downs	5,074	<input type="checkbox"/>	
	Cape Town hand-over including full detailing, full fuel tanks, and 3 days of dockage in V&A Waterfront	4,107	<input type="checkbox"/>	
	Water Delivery *	32,000	<input type="checkbox"/>	
	Post delivery commissioning	8,067	<input checked="" type="checkbox"/>	8,067
	Freight Delivery *	38,500	<input checked="" type="checkbox"/>	38,500

USD

Total Options	161,260
----------------------	----------------

Total Purchase Price (ex-tax)	610,260
--------------------------------------	----------------

Purchaser _____ Date _____

Purchaser _____ Date _____

Dealer _____ Date _____

**In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees*