

2017 Option List

Purchaser	Open Salon Version with Owner's Cabin & 2 Guest Cabins - 2018 Model	#113/A7030 V3	USD
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	110v	1,219,000
	DESTINATION	British Columbia	, Canada
	NUMBER OF CABINS	3	
	INTERIOR LAYOUT		
A7-0000	Standard 2 cabins in Port Hull + 2 cabins in Starboard Hull	ОГ	7
A7-0001	2 Bridgedeck Cabins in lieu of extended Saloon	0 [†
A7-0002	Extended Saloon on bridgedeck in lieu of 2 Bridgedeck Cabins	0 5	
A7-0003	Owners Suite in entire starboard hull in lieu of 2 Standard Cabins in Starboard hull	0 [-	
	INTERIOR		
A7-1001	Upholstery - Pack1 - Standard - Faux-Leather "Milk" (Light)	0 [√ 0
A7-1002	Upholstery - Pack2 - Suede "Kudu" (Light)	0	
A7-1003	Upholstery - Pack3 - Faux-Leather "Artisan" (Darker)	0 [
A7-1004	Upholstery - Pack4 - Suede "Stallion Moon" (Darker)	0 [
A7-1300	Full length mirrors behind all cabin doors for 6 cabin layout	1,714 L	
A7-1301	Full length mirrors behind all cabin doors for 5 cabin layout	1,429	
A7-1302	Full length mirrors behind all cabin doors for 4 cabin layout	1,143	
A7-1303	Full length mirrors behind all cabin doors for 3 cabin layout		857
A7-1351	Forepeak berth and heads port including light, fan, PAR Brydon large bowl manual toilet, hand		9,000
	basin complete with combination faucet/shower mixer		3,000
A7-1600	Interior blinds in saloon and galley area - Electric operated. Only for boats with bridgedeck cabin / cabins (Cannot be ordered with A7-0002)	5,000 L	_
A7-1610	Interior blinds in extended saloon (manually operated), saloon (manually operated) and galley	4,143 L	
A7-1620	(electric operated). Only for boats with A7-0002. Interior blinds in saloon (manually operated) and galley (electric operated). Only for boats with	2,857	1
717 1020	bridgedeck cabin / cabins (Cannot be ordered with A7-0002)		-
A7-1630	Interior blinds in extended saloon, saloon and galley area - Electric operated. Only for boats with A7-0002	8,429	8,429
A7-1700	Saloon table convertible to coffee table complete with adjustable leg to lower table to coffee	357 [357
	table height		
	ENGINES & DRIVE		
A7-2020	Upgrade to Yanmar 110hp with V-drive in lieu of std 80hp engines with sail drive - (2)		⊴ 27,286
A7-2110	Brunton folding prop upgrade for Yanmar 80hp engines w/saildrive in lieu of std fixed props - (2)	6,971	
A7-2120	Brunton feathering prop upgrade for Yanmar 110hp engines in lieu of std fixed props - (2)	9,571	9,571
A7-2500	Bow thruster located in stbd bow	13,714	13,714
	NAVIGATION & ELECTRONICS		
A7-3304	Raymarine Base Pack: includes Ray 60 VHF (Multizone) at Switchpanel & additional VHF	12,429	12,429
	handset at helm, p70 colour autopilot display, a95 9" Multifunction display with WiFi and i70 Colour instrument at Helmstation. With retractable depth & speed, plus wind transducers.		
A7-3316	a125 12" Multifunction display with WiFi at helm in lieu of a a95 Multifunction display (Requires	2,143	
	Base Pack)	_	
A7-3323	GS165 Hybridtouch Multifunction display with WiFi and external GPS antenna at Helm station in lieu of a95 Multifunction display	9,143	9,143
A7-3324	Additional i70 Display at Helmstation (Requires Base Pack)	957	✓ 857
A7-3326	Additional a95 9" Multifunction display with WiFi at Nav station in saloon. Can only be ordered	3,214 [337
A 7 2224	with option A7-0002 (Requires Base Pack)	E 574 F	7 5 574
A7-3331	Additional a125 12" Multifunction display with WiFi at Nav station in saloon. Can only be ordered with option A7-0002 (Requires Base Pack)	5,571	5,571
A7-3335	Autopilot remote smart controller at instrument panel (6 cabins) or nav desk (extended saloon)	1,100	1,100
A7-3336	p70R Rotary Autopilot Controller and second throttle at Nav station. Can only be ordered with	2,643	
	option A7-0002		_
A7-3341	Digital Radar: includes 4kw 18" 48nm digital Radome scanner c/w mast bracket and genoa	3,143	
A7-3342	HD Colour Radar includes 4 kW 18" 48nm Radome scanner. Note: requires base pack	4,571	
A7-3346	Fishfinder/DownVision – fitted in conjunction with 1 x a Series Multifunction display at Helm station. Includes CP100 DownVision Fishfinder and CPT-110 Plastic Thru-Hull transducer	2,286	2,286
	(Requires Base Pack)		
A7-3370	1 x Garmin rear-view camera (Requires at least one Raymarine MFD at helm)	643	
A7-3371	1 x Garmin Forward facing camera (Requires at least one Raymarine MFD at helm)	643	
A7-3380	Raymarine Automatic Identification System with AIS 350 Receiver. This option requires a base	1,500	
A7-3381	Raymarine Automatic Identification System with AIS 650 Transceiver. This option requires a	2,286	
	ELECTRICAL		
A7-4100	ELECTRICAL 220v European Shore Power Pack: includes 200 amp Victron Quattro inverter/battery charger, 1	0 [
A7-4100			

A7-4110	220v US Shore Power Pack: includes 200 amp Victron Quattro inverter/battery charger, 1 heavy duty 50ft 50amp shore powerline, 110V AC outlets in cabins, galley, saloon & switchpanel (NO	0	√	0
A7-4120	CHARGE OPTION - INCLUDED IN STD EQUIP) Additional heavy duty 50ft 50amp shore powerline and Y adaptor to provide boat with 100amp shore power supply. Can only be taken with option A7-4100 or A7-4110	10,000	V	10,000
A7-4200	3 x Shaver outlets in boats with 3 heads, 110v with GFI protection - Only avaliable for boats with 110v systems (A7-4110) & boats including (A7-0002+A7-0003)	716		
A7-4201	4 x Shaver outlets in boats with 4 heads, 110V with GFI protection – Only for boats with 110V systems (A7-4110) & boats including A7-0002 only	956		
A7-4202	5 x Shaver outlets in boats with 5 heads, 110V with GFI protection – Only for boats with 110V systems (A7-4110) & boats including A7-0003 only	1,193		
A7-4203	6 x Shaver outlets in boats with 6 heads, 110v with GFI protection - Only avaliable for boats with 110v systems (A7-4110) & boats with standard 6 cabin layout.	1,431		
A7-4210	3 x Shaver outlets in boats with 3 heads, combination 220v/110v with transformer current protection - Only for boats with 220v systems (A7-4100) & boats including (A7-0002+A7-0003)	896	√	896
A7-4211	4 x Shaver outlets in boats with 4 heads, 220V/110V with GFI protection – Only for boats with 220V systems (A7-4100) & boats including A7-0002 only	1,183		
A7-4212	5 x Shaver outlets in boats with 5 heads, 220V/110V with GFI protection – Only for boats with 220V systems (A7-4100) & boats including A7-0003 only	1,464		
A7-4213	6 x Shaver outlets in boats with 6 heads, combination 220v/110v with transformer current protection - Only for boats with 220v systems (A7-4100) & boats with standard 6 cabin layout.	1,740		
A7-4500	Upgrade std Lead Acid house & engine batteries to AGM batteries	2,000	V	2,000
A7-4510	Two additional AGM house batteries (210 Ahr each)	1,657	[7]	1,657
	Link engine starter batteries to house batteries. Operated from push button at helm.			1,007
A7-4550		186	_	
A7-4610	Cabin fans including integrated galley fan – Only for boats with 6 cabins	1,286		
A7-4620	Cabin fans including integrated galley fan – Only for boats with 5 cabins	1,143	Ш	
A7-4630	Cabin fans including integrated galley fan – Only for boats with 3 & 4 cabins	1.000	4	1,000
A7-4900	Windlass "up" footswitch	207	П	,
A7-5200	Genset - Northern Lights 20kW - Fuel supplied by aft port tank, fuel transfer ability from stb to port tank	35,000		35,000
A7-5215	Provision for genset (includes fuel supply, exhaust system with through hull fittings and cooling water system, but excludes genset unit, wiring, battery and genset control panel). Only for boats with shore power pack.	5,857		
A7-5250	Airconditioning System – Webasto Chiller System: 81 000 BTU Total – 7 Controllers (6 cabins)	53,143		
A7-5251	Airconditioning System - Webasto Chiller System: 81 000 BTU Total – 6 Controllers (5 cabins). Only for boats including A7-0003 only	51,564		
A7-5252	Airconditioning System - Webasto Chiller System: 81 000 BTU Total – 5 Controllers (4 cabins). Only for boats including A7-0002 only	50,000		
A7-5253	Airconditioning System - Webasto Chiller System: 81 000 BTU Total – 4 Controllers (3 cabins). Only for boats including (A7-0002 + A7-003) only	49,143		49,143
A7-5260	Provision for Air-conditioning System (Chiller System: 81 000 BTU Total – 8 units, 7 zones). Includes ducting, air vents and cooling water piping with through hull fittings, but excludes aircon units. controllers and chiller unit.	12,714		
A7-5261	Provision for Air-conditioning System (Chiller System: 81 000 BTU Total – 8 units, 6 zones). Includes ducting, air vents and cooling water piping with through hull fittings, but excludes aircon units. controllers and chiller unit.	12,714		
A7-5262	Provision for Air-conditioning System (Chiller System: 81 000 BTU Total – 8 units, 5 zones). Includes ducting, air vents and cooling water piping with through hull fittings, but excludes aircon units. controllers and chiller unit.	12,714		
A7-5263	Provision for Air-conditioning System (Chiller System: 81 000 BTU Total – 8 units, 4 zones). Includes ducting, air vents and cooling water piping with through hull fittings, but excludes aircon units. controllers and chiller unit.	12,714		
A7-5400	Winches: Electric sheet winches - (2) (in lieu of std manual winches)	7,614		7,614
A7-5450	Electric Furling System (Genoa Only)	11,357		11,357
A7-5601	24" LCD TV/DVD combo in stbd aft cabin - Dual 110v/220v	1,300		1,300
A7-5602	24" LCD TV/DVD combo in stbd fwd cabin - Dual 110v/220v	1,300	H	
A7-5603	24" LCD TV/DVD combo in port aft cabin - Dual 110v/220v	1,300		1,300
A7-5604	24" LCD TV/DVD combo in port fwd cabin- Dual 110v/220v	1,300	Ш	
A7-5605	24" LCD TV/DVD combo in port bridgedeck cabin - Dual 110v/220v	1,300		
A7-5606	24" LCD TV/DVD combo in stbd bridgedeck cabin - Dual 110v/220v	1,300		
A7-5607	24" LCD TV/DVD combo in bridgedeck stateroom - Dual 110v/220v	1,300		
A7-5608 A7-5609	24" LCD TV/DVD combo in stbd hull owners suite study - Dual 110v/220v 46" flat screen TV with Bose 5.1 home entertainment system in saloon (comes with remote	1,300 8,071		8,071
A7-5615	control + iPod dock), plus Bose personal music centre Motorised TV lift in saloon - not applicable to 6-cabin boats (can only be ordered with A7-0002 and A7-5609)	1,864	✓	1,864
A7-5620	Additional amplifier with locally-controlled marine speakers in fwd cockpit (2), aft cockpit (2) and	2,714	V	2,714
A7 F60F	at flybridge (2) (can only be ordered with A7-5609)	564	171	F0.4
A7-5625	Apple TV & Router upgrade in saloon (can only be ordered with A7-5609)	564		
A7-5630	BluRay player in saloon (can only be ordered with A7-5609)	886	벁	886
A7-5700	Solar panels 100w each fitted to hard top - (2)	3,429		
A7-5710	Solar panels 100w each fitted to hard top - (4)	6,714		<u> </u>
A7-5720	Solar panels 100w each fitted to hard top - (8)	11,286		11,286
A7-57MM	Microwave oven 110V	1,429	ΠŢ	1,429
A7-5800	Underwater Lights - 2 x Blue mounted in stern	3,571	ΠŢ	3,571
A1-3000		3,071	<u>ت.</u>	J 3,37 1
A7-6151	PLUMBING 3 x Electric flushing toilets in boats with 3 heads: Jabsco quiet flush (seawater option) in lieu of	2,597	V	2,597
	standard toilet - Only avaliable for boats including (A7-0002+A7-0003)		Ь.	
A7-6152	4 x Electric flushing toilets in boats with 4 heads: Jabsco quiet flush (seawater) in lieu of standard toilet – Only available for boats including A7-0002 only	3,451	Ш	

A7-6153				
	5 x Electric flushing toilets in boats with 5 heads: Jabsco quiet flush (seawater) in lieu of	4,299 [
A7-6154	standard toilet – Only available for boats including A7-0003 only 6 x Electric flushing toilets in boats with 6 heads: Jabsco quiet flush (seawater option) in lieu of	5,126	\dashv	
0.0.	standard toilet - Only available for boats with standard 6 cabin layout.		\sqsupset	
A7-6200	Combination mixer shower faucet in galley in lieu of std faucet			110
A7-6500	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system	21,571	ᅦ	
A7-6510	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller	23,777 [V	23,777
A7-6570	system plus optional Z-Brane electronic water treatment system	00.500	\dashv	
A7-6570 A7-6605	Watermaker: Sea Recovery 142 ltr/38 Usgal per hr Washer & dryer (110V) installed in owners suite - Only available for boats with 110v systems	23,500 L 2,856 F	╬	
	(A7-4110) & A7-0003	_,,,,,		
A7-6607	Washer & dryer(110V) installed in stbd corridor – Only available for boats with 110V systems	2,856	니	
A7-6608	(A7-4110). Cannot be ordered with option A7-7771 Washer & dryer(220V) installed in stbd corridor – Only available for boats with 220V systems	2,856	╗	
	(A7-4100). Cannot be ordered with option A7-7771		_	
A7-6610	Washer & dryer (220V) installed in owners suite - Only available for boats with 220v systems (A7-4100) & A7-0003	2,856 [✓	2,856
A7-6700	Dishwasher in galley - 110v	2,143	\dashv	
A7-6710	Dishwasher in galley - 220v	2,857	Д	
A7-6800	Deck wash fitting & pump - dual fresh/salt water system		<u>√</u>	866
A7-6850	Stern shower: Hot/cold water in lieu of cold only	263	শ	263
	HEATING, REFRIGERATION & GAS			
A7-7710	Refrigerator in aft cockpit 12v (not to be ordered with option A7-7751 or A7-7754)	1,929		1,929
A7-7711 A7-7720	Refrigerator in wetbar 12v Basic wetbar with Corian top and sink c/w hot & cold water faucet	2,176 L 4,786 L	✓ ✓	2,176 4,786
A7-7720	Add Grill to flybridge wetbar	2,571		2,571
A7-7740	Drinks Cooler in-lieu of storage locker in extended Saloon. Can only be ordered with option A7-	4,357		4,357
	0002. Only for boats with 110v systems (A7-4110)	4.074	\dashv	
A7-7741	Drinks Cooler in-lieu of storage locker in extended Saloon. Can only be ordered with option A7-0002. Only for boats with 220v systems (A7-4100)	4,071 L	ᆚ	
A7-7751	Icemaker installed in aft cockpit (not to be ordered with A7-7710 or A7-7754)	2,714 [σΤ	
A7-7753	Icemaker installed in wetbar (not to be ordered with A7-7755)	2,714	4	2,714
A7-7754	Icemaker installed in aft cockpit 12v (not to be ordered with A7-7710 or A7-7751)	1,714		1,714
A7-7755 A7-7770	Icemaker installed in wetbar 12v (not to be ordered with A7-7753) Drawer Freezer 12v in Port Corridor in-lieu of locker	1,714 [2,167 [2,167
A7-7771	Drawer freezer 12V in Stbd Corridor in lieu of locker. Cannot be ordered with option A7-6607 or	2,167		2,107
	A7-6608		\dashv	
	DECK & HULL			
A7-8001	Exterior Pack 1 – "Grey" (Charcoal Grey + Black Antifouling)	0 [1	0
A7-8002	Exterior Pack 2 – "Blue" (Captain's Navy Blue + Blue Antifouling)	0 [\Box	
A7-8100 A7-8120	Flybridge enclosure front and sides only with aft sunshade curtain. Aft cockpit side & back shade curtains only - as per exterior pack choice	9,857 2,393	#	2,393
A7-8150	Coach roof side window removable shade covers	1,233	_	1,233
A7-8305	Fwd Cockpit Cushions.	929 [√	929
A7-8400	S/S dive bottle rack in aft cockpit - holds 8 bottles	1,529		0.40
A7-8500 A7-8600	Leather covered steering wheel Custom S/S davit system with tackle c/w electric winch.	343 L 6,000 L	_	343
A7-8620	Dinghy/swim platform with hydraulic lowering system			48,571
A7-8700	Additional swim ladder installed on starboard hull	48,571	<u> </u>	
		48,571 L 500 L	=	
	SAILS & DICCING	.0,0	=	
A7-9100	SAILS & RIGGING Asymetric spinnaker running rigging	.0,0		1,233
A7-9300	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice	1,233 [7,873]		1,233 7,873
A7-9400	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice	1,233 [7,873] 2,500]	 	7,873
A7-9300 A7-9400 A7-9500	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker	1,233 [7,873] 2,500] 12,143 [
A7-9300 A7-9400	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice	1,233 [7,873] 2,500] 12,143]	 	7,873 12,143
A7-9300 A7-9400 A7-9500 A7-9700	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of	1,233 [7,873] 2,500] 12,143]		7,873 12,143
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT	1,233 7,873 2,500 12,143 1,153 184,286		7,873 12,143
A7-9300 A7-9400 A7-9500 A7-9700	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain	1,233 7,873 2,500 12,143 1,153 184,286 1,786		7,873 12,143 184,286
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor)	1,233 7,873 2,500 12,143 1,153 184,286 1,786 2,786 1,146		7,873 12,143
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9914	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain	1,233 7,873 2,500 12,143 1,153 184,286 1,786 2,786 1,146 417		7,873 12,143 184,286 2,786 1,146
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9914 A7-9915	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain	1,233 7,873 2,500 12,143 1,153 184,286 1,786 2,786 1,146 417 956		7,873 12,143 184,286 2,786 1,146 956
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9914	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain	1,233		7,873 12,143 184,286 2,786 1,146
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9914 A7-9915 A7-9918	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain 330ft (100m) anchor chain in lieu of 165ft (50m) chain Anchor bridle, shackles and hook Fenders (8 off), moorings lines (4 off 16mm x 15m), spring lines (2 off 16mm x 20m)	1,233 7,873 2,500 12,143 1,153 184,286 1,786 2,786 1,146 417 956 427		7,873 12,143 184,286 2,786 1,146 956 427
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9914 A7-9915 A7-9918 A7-9920	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain 330ft (100m) anchor chain in lieu of 165ft (50m) chain Anchor bridle, shackles and hook Fenders (8 off), moorings lines (4 off 16mm x 15m), spring lines (2 off 16mm x 20m) COMMISSIONING	1,233		7,873 12,143 184,286 2,786 1,146 956 427 863
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9914 A7-9915 A7-9918	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain 330ft (100m) anchor chain in lieu of 165ft (50m) chain Anchor bridle, shackles and hook Fenders (8 off), moorings lines (4 off 16mm x 15m), spring lines (2 off 16mm x 20m) COMMISSIONING Transport, documentation and commissioning package: includes anti-fouling paint, transport to	1,233		7,873 12,143 184,286 2,786 1,146 956 427
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9915 A7-9918 A7-9920	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain 330ft (100m) anchor chain in lieu of 165ft (50m) chain Anchor bridle, shackles and hook Fenders (8 off), moorings lines (4 off 16mm x 15m), spring lines (2 off 16mm x 20m) COMMISSIONING Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials. 3 davs marina fees at RCYC & CE certificate	1,233		7,873 12,143 184,286 2,786 1,146 956 427 863
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9914 A7-9915 A7-9918 A7-9920	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain 330ft (100m) anchor chain in lieu of 165ft (50m) chain Anchor bridle, shackles and hook Fenders (8 off), moorings lines (4 off 16mm x 15m), spring lines (2 off 16mm x 20m) COMMISSIONING Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials. 3 davs marina fees at RCYC & CE certificate Australian Spec – 220V. Electric toilets option for all heads must be taken (A7-6151, A7-6152,	1,233 7,873 2,500 12,143 1,153 184,286 1,786 2,786 1,146 417 956 427 863 24,506 [7,873 12,143 184,286 2,786 1,146 956 427 863
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9915 A7-9918 A7-9920	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain 330ft (100m) anchor chain in lieu of 165ft (50m) chain Anchor bridle, shackles and hook Fenders (8 off), moorings lines (4 off 16mm x 15m), spring lines (2 off 16mm x 20m) COMMISSIONING Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials. 3 davs marina fees at RCYC & CE certificate Australian Spec — 220V. Electric toilets option for all heads must be taken (A7-6151, A7-6152, A7-6153 or A7-6154), 330' anchor chain option (A7-9915) must also be taken with this option.	1,233 7,873 2,500 12,143 1,153 184,286 1,786 2,786 1,146 417 956 427 863 24,506 [7,873 12,143 184,286 2,786 1,146 956 427 863 24,506
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9915 A7-9918 A7-9920	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain 330ft (100m) anchor chain in lieu of 165ft (50m) chain Anchor bridle, shackles and hook Fenders (8 off), moorings lines (4 off 16mm x 15m), spring lines (2 off 16mm x 20m) COMMISSIONING Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials. 3 davs marina fees at RCYC & CE certificate Australian Spec – 220V. Electric toilets option for all heads must be taken (A7-6151, A7-6152,	1,233 7,873 2,500 12,143 1,153 184,286 1,146 417 956 427 863 24,506 [4,214 6,590 7,376		7,873 12,143 184,286 2,786 1,146 956 427 863
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9915 A7-9918 A7-9920	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain 330ft (100m) anchor chain in lieu of 165ft (50m) chain Anchor bridle, shackles and hook Fenders (8 off), moorings lines (4 off 16mm x 15m), spring lines (2 off 16mm x 20m) COMMISSIONING Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials. 3 davs marina fees at RCYC & CE certificate Australian Spec – 220V. Electric toilets option for all heads must be taken (A7-6151, A7-6152, A7-6153 or A7-6154), 330' anchor chain option (A7-9915) must also be taken with this option. USCG Safety Package including 2 x 8 man life rafts, U-bolts and tie downs CE Safety Package including 2 x 8 man life rafts, U-bolts and tie downs Cape Town hand-over including full detailing, full fuel tanks, and (3) days of dockage in V&A	1,233		7,873 12,143 184,286 2,786 1,146 956 427 863 24,506
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9915 A7-9918 A7-9920	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain 330ft (100m) anchor chain in lieu of 165ft (50m) chain Anchor bridle, shackles and hook Fenders (8 off), moorings lines (4 off 16mm x 15m), spring lines (2 off 16mm x 20m) COMMISSIONING Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials. 3 davs marina fees at RCYC & CE certificate Australian Spec – 220V. Electric toilets option for all heads must be taken (A7-6151, A7-6152, A7-6153 or A7-6154), 330' anchor chain option (A7-9915) must also be taken with this option. USCG Safety Package including 2 x 8 man life rafts, U-bolts and tie downs CE Safety Package including 2 x 8 man life rafts, U-bolts and tie downs Cape Town hand-over including full detailing, full fuel tanks, and (3) days of dockage in V&A Water Delivery *	1,233		7,873 12,143 184,286 2,786 1,146 956 427 863 24,506
A7-9300 A7-9400 A7-9500 A7-9700 A7-9800 A7-9901 A7-9905 A7-9911 A7-9915 A7-9918 A7-9920	Asymetric spinnaker running rigging Asymetric spinnaker - as per exterior pack choice Boom Cover (stackpack) - as per exterior pack choice Bowsprit c/w furler and Gennaker Square Top mainsail in lieu of std main In boom electric furler with carbon boom, hydraulic vang and North furling main sail in lieu of GENERAL EQUIPMENT 88lb (40kg) Delta anchor c/w 165ft (50m) chain 88lb (40kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain 44lb (20kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp (secondary anchor) 230ft (70m) anchor chain in lieu of 165ft (50m) chain 330ft (100m) anchor chain in lieu of 165ft (50m) chain Anchor bridle, shackles and hook Fenders (8 off), moorings lines (4 off 16mm x 15m), spring lines (2 off 16mm x 20m) COMMISSIONING Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials. 3 davs marina fees at RCYC & CE certificate Australian Spec – 220V. Electric toilets option for all heads must be taken (A7-6151, A7-6152, A7-6153 or A7-6154), 330' anchor chain option (A7-9915) must also be taken with this option. USCG Safety Package including 2 x 8 man life rafts, U-bolts and tie downs CE Safety Package including 2 x 8 man life rafts, U-bolts and tie downs Cape Town hand-over including full detailing, full fuel tanks, and (3) days of dockage in V&A	1,233		7,873 12,143 184,286 2,786 1,146 956 427 863 24,506

	USD
Total Options	686,164
Total Purchase Price (ex-tax)	1,905,164

Purchaser	Date
Purchaser	Date
Dealer	Date

^{*}In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit Any modification to the Option List is to be mutually agreed in writing and may result in additional fees



STANDARD BOAT EQUIPEMENT LIST

SALOON - STANDARD

Laminate finishes with solid wood trims

Saloon table - convertible to smaller table

12-seat settee with stowage under cushions

Wear resistant laminate flooring

LED overhead lighting

Light & ventilation through windows & portlights in overhead gallery

2 x Escape Hatches under stairways to hulls

Stowage lockers behind settee

Stowage lockers under floorboards

1 set Wineracks

SALOON - EXTENDED VERSION - OPTION A7-0002

Laminate finishes with solid wood trims

Saloon table - convertible to smaller table

12-seat settee with stowage under cushions

Wear resistant laminate flooring

LED overhead lighting

Light & ventilation through windows & portlights in overhead gallery

2 x Escape Hatches under stairways to hulls

Stowage lockers behind settee

Stowage lockers under floorboards

1 set Wineracks

L-shaped settee with stowage underneath

Movable settee extension

Television unit

Fixed coffee table

Doorway access to forward cockpit

Navigation desk with chart table surface and instrument panel

Loose Ottoman stool

Drinks locker

Shelf Locker

BRIDGEDECK STATEROOM CABIN - OPTION A7-0001

Laminate finishes with solid wood trims

Double berth:

- Bunk (1.54m x 2.01m or 5'1" x 6'7")

Fitted headboard

Under-bunk drawers

Bedside table

Bedside shelf (outboard)

LED overhead lighting

LED reading lamps

Large windows with pleated blinds

Doorway access to forward cockpit

BRIDGEDECK STATEROOM STUDY - OPTION A7-0001

Laminate finishes with solid wood trims

Wear resistant laminate flooring

Navigation desk with chart table surface and instument panel

Loose Ottoman stool

Hanging locker

Storage locker with shelving

Bookshelf

LED overhead lighting

Doorway access to forward cockpit

GUEST CABINS x 2 (BRIDGEDECK) - STANDARD

Double sliding door opens cabin to saloon area

Laminate finishes with solid wood trims

Double berth (1.52m x 2.05m or 5'0" x 6'8") convertible to narrower width by 0.2m or 8"

Bedside shelf (outboard)

Hanging locker

Storage locker with shelving

LED overhead lighting

LED reading lamps

Overhead roller blinds for privacy

Large side and forward facing windows with pleated blinds

Doorway access to forward cockpit

GALLEY - STANDARD

Corian galley worktop surfaces

Double s/s sink

Single lever mixer faucet with pull-out sprayer

Dish and cutlery drying recess with drainage

Cover for drying recess

Vitrifrigo front-opening fridge/2-drawer freezer

Fridge - 157ltr/5.55cubic ft; Freezer - 144ltr/5 ft³

Smeg 60cm gas oven SC341GX-8

Smeg 5-burner gas hob P75

Gas solenoid shut-off valve with control at switch panel & warning light at cooker

Gas cylinder regulator in dedicated cockpit LPG locker

Separate garbage bin locker with side and top access

Stowage space in shelf & drawer lockers

Bar counter with Corian surface

Overhead lockers for crockery stowage

Drinks cabinet

Switch panels housed behind tinted hinged doors

Side board locker for linen/crockery/cutlery stowage

OWNERS CABIN (HULL STBD AFT) - STANDARD

Laminate finishes with solid wood trims

Double berth:

- Aft Stbd Bunk (1.54m x 2.01m or 5'1" x 6'7")

Fitted headboard

Under-bunk lockers

Hanging locker

Storage locker with shelving

Dressing table c/w drawer locker, mirror and ottoman

Bedside tables

LED overhead lighting

LED reading lamps

Overhead roller blinds for privacy

Large open shelves

Drawers under bunk

Large hull window incorporating portlight and pleated blind

OWNERS SUITE (STBD HULL) - OPTION A7-0003

Laminate finishes with solid wood trims

Double berth:

- Aft Stbd Bunk (1.54m x 2.01m or 5'1" x 6'7")

Fitted headboard

Under-bunk lockers

Hanging locker

Storage locker with shelving

Bedside tables

LED overhead lighting

LED reading lamps

Overhead roller blinds for privacy

Large open shelves

Drawers under bunk

Large hull window incorporating portlight and pleated blind

Settee c/w stowage spcae under cushions

Sliding entrance door with lock

Desk with drawers under

Loose Ottoman stool

Bookshelf with oddment stowage

Overhead locker above desk

Dressing table c/w drawer locker and mirror

Large storage locker

GUEST CABINS x 2 (HULLS FWD) - STANDARD

Laminate finishes with solid wood trims

Double berths:

- Forward Port Bunk (1.47m x 2.01m or 4'10" x 6'7")

- Forward Stbd Bunk (1.54m x 2.01m or 5'1" x 6'7")

Under-bunk lockers (port only)

Hanging locker

Storage locker with shelving

LED overhead lighting

LED reading lamps

Overhead roller blinds for privacy

Large open shelves

Drawers under bunk (port only)

Sliding shelf locker under bunk (stbd only)

Large hull window incorporating portlight and pleated blind

SKIPPER CABIN (HULL PORT AFT) - STANDARD

Laminate finishes with solid wood trims

Double berth:

- Aft Port Bunk (1.4m 2.0m or 4'7" x 6'7")

Single Removable berth:

- Single Bunk (0.7m x 1.98m or 2'4" x 6'5")

LED overhead lighting

LED reading lamps

Inboard shelving

Bedside table with locker

Drawers under bunk

Stowage under bunks

Large hull window incorporating portlight and pleated blind

HEADS COMPARTMENT - OWNERS SUITE - OPTION A7-0003

Double washbasins with basin mixer and Corian top

Vanity locker with mirrors

Towel hook, rail and ring

Separate shower compartment

Shower sump with automatic drainage

LED overhead lighting

Overhead roller blinds for privacy

Large bowl manual toilet

Storage lockers under basin counter

Hull window with portlights and pleated blinds

HEADS COMPARTMENT - OWNERS CABIN

Double washbasins with basin mixer and Corian top

Vanity locker with mirrors

Towel hook, rail and ring

Separate shower compartment c/w lever mixer and adjustable shower rose

Shower sump with automatic drainage

LED overhead lighting

Overhead roller blinds for privacy

Large bowl manual toilet

Storage lockers under basin counter

Hull window with portlights and pleated blinds

Dustbin under basin counter

HEADS COMPARTMENTS - STANDARD

Washbasin with basin mixer and Corian top

Vanity locker with mirror

Towel hook, rail and ring

Separate shower compartment c/w lever mixer and adjustable shower rose

Shower sump with automatic drainage

LED overhead lighting

Overhead roller blinds for privacy

Hull/deck window with waterproof curtain

Large bowl manual toilet

Dustbin under basin counter

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:

- 5 x Water tanks, 425USgal / 1610 ltr total capacity
- 2 x 4.3 GPM fresh water pressure pump with 2ltr accumulator tank
- 2 x Hot water cylinders 22USgal / 84ltr total capacity
- Transom shower (cold only)

6 x Automatic shower drain pumps with filters

Holding tanks,

- 4 Tanks, 65USgal / 246ltr total capacity (5 & 6 cabin)
- 3 Tanks, 59USgal / 225ltr total capacity (4 cabin)
- 2 Tanks, 40USgal / 150ltr total capacity (3 cabin)
- 2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
- 2 x Manual bilge pumps with strum boxes (keel sump)
- 2 x High water bilge float switches with alarm at switch panel
- 2 x Electric bilge pumps (engine room) with alarm at switch panel

RUDDER & STEERING SYSTEM

- 2 x Balanced spade rudders
- 2 x Rudder stocks (s/s)
- 2 x Self aligning bearings

Hydraulic steering system

Destroyer-type steering wheel

Emergency tiller (s/s)

DECK FITTINGS

Simulated teak decking on

forward and aft cockpit and flybridge

Guardwires with stanchions, bases, port & stbd gates

Guardwires across stern

1700w vertical windlass 10mm gypsy

c/w hand-held remote

Chain locker

Anchor bow roller fitting

Anchor chain stopper

2 x Liferaft locker

3 x Cockpit lockers

Sliding companionway door - 2 leaf

LED lighting over forward and aft cockpit

LED lighting over flybridge area

Swimming ladder - folding c/w teak steps

Flybridge with U-shaped seating area

c/w fore/aft-facing convertible backrests

Flybridge recliner with stowage under

Flybridge coffee/cocktail table

Flybridge guardrails (s/s)

Flybridge bimini hardtop with window

Flybridge bimini arch support (s/s)

Flybridge bimini forward supports (s/s)

Trampoline

Acrylic smoke-grey tinted windows

Forward hardtop supports (s/s)

Flybridge supports (s/s)

Side window brows

Hatches:

6 x Size 10 Flush Hatch over heads

6 x Size 44 Flush Hatch over cabins

2 x Size 70 Flush Hatch over forepeaks

2 x Custom Flush Hatch in saloon windscreen Portlights - 13 x Size 1 in hull side and coachroof

1x Anchor/windlass locker

2 x Foredeck lockers

Forward lounging cockpit with hardtop nc/w

2 x watertight saloon access door and

sliding hatch in hardtop for foredeck access

fold away tables

upholstered seating

2 x Pulpits with seat

2 x Pushpits

6 x Coachroof s/s handrails

9 x 330mm mooring cleats

1 x Halyard electric alloy winch

2 x Halyard / sheet alloy winch

Self-tacking jib system

DECK FITTINGS - CONTINUED

Bridle mainsheet system

1 x jib car

1 x jib track

1 x Winch handle pocket at helm

2 x halyard clutch (main & gennaker)

2 x mainsheet clutch

1 x jibsheet clutch

2 x reefing/luff line clutch

1x furler line clutch

1 x Rack on mast for jib halyard

4 x Padeyes to allow for gennaker tackle blocks

Deck line leads provided for gennaker sheet

Drinks Holders

Rope bags

ENGINE & CONTROLS

Double lever electronic throttle / gearshift control

Sound deadening panels in engine room

2 x Engine room ventilation fans and ducting

2 x Yanmar 80hp diesel engines with sail drives

2 x Propellers - 3-blade fixed

2 x Fuel deck fillers

2 x Fuel filters / digital water sensors

2 x Fuel tanks aluminium 238USgal / 900Ltr total capacity

2 x Exhaust skin fittings (s/s)

2 x Exhaust water locks

2 x Cooling water inlet strainers

2 x Exhaust cooling water temperature sensors with audible alarms at helm

ELECTRICAL INSTALLATION

LED Courtesy lights at stairways

LED Bi-colour & stern navlights

12v DC switch panel

220v or 110v Shore Power Pack includes:

1 x 50ft 50amp shorepower lead, h/water cylinder

AC outlets in cabins, galley, saloon & switchpanel

1 x 12/5000/200 Inverter/charger

12v outlet sockets at switch panel and at helmstation

1 x Double USB socket at switch panel

1 x Double USB socket alongside switch panel

1 x Double USB socket at helm station

1 x Double USB socket in each cabin

2 x Fuel tank gauges at helm position

2 x Amp meters at helm position

4 x House batteries - 180Ah deep cycle lead acid type

2 x Engine starter batteries - 100Ah lead acid type

1 x House battery isolator switch

- 2 x Engine starter battery isolator switches
- 2 x Alternators, standard with engines
- 1 x Electrical spares kit: fuses, relays, fuse holders

MAST, RIGGING & SAILS

Natural anodized mast

Natural anodised "hayrack" boom

Natural anodized crossbeam c/w mooring cleats, secondary bow roller & kayak roller

Wind indicator

Jib furler

Mainsail full battened c/w 2 rows reefs

Antal mainsail batten car sliding system

100% Furling jib

NAVIGATION EQUIPMENT

Compass at helm position

RUNNING RIGGING

- 2 x Main sheets (bridle system)
- 1 x Jib sheet
- 3 x Halyards (main, jib & spare)
- 2 x Reefs lead aft with luff lines for each

Main boom topping lift

1 x Roller furler line

GENERAL EQUIPMENT

8 x Fire extinguishers for Interior and exterior Automatic extinguishing system for engine rooms