

2019 Option List

| Purchaser | 2018 Special ONLY into charter | | | | USD |
|--------------------|---|----------------|----------|-------|---------|
| English | STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST | 110v | | | 509,000 |
| Liigiisii | | 1100 | l. | • | 309,000 |
| | DESTINATION | British Columb | ia, C | anada | |
| | NUMBER OF CABINS | 4 | | | |
| | INTERIOR | | | | |
| B3-1001 | Upholstery Pack 1 – Faux Leather "Milk" | 0 | V | | 0 |
| B3-1002 | Upholstery Pack 2 – Suede "Kudu" | 0 | | | |
| B3-1003 B3-1004 | Upholstery Pack 3 - Faux Leather "Artesian" Upholstery Pack 4 – Suede "Stallion Moon" | 0 | _ | | |
| B3-1300 | Full length mirrors for 4-Cabin Layout (4) | 1,236 | | | |
| B3-1301 | Full length mirrors for 3-Cabin Layout (3) | 927 | Ø | | 927 |
| B3-1351 | Forepeak child berth in port forepeak only - Includes mattress - (1) | 618 | | | |
| B3-1352 | Forepeak berth & heads - Port forepeak includes mattress (1), Air conditioning, A/C electric outlet (1), USB Ports (2), Fire Extinguisher (1). Bulkhead access between port forepeak and port cabin is blocked off. Stbd forepeak includes basin with faucet & mirror, electric heads with dedicated holding tank, Shower with shower curtain and automatic sump drain Not to be ordered with | 6,026 | | | |
| B3-1400 | option B3-1351. Safe with digital combination lock | 379 | | | |
| B3-1400 | Interior saloon blinds - front & side windows | 5,668 | _ | | 5,668 |
| B3-1750 | Saloon table convertible to a coffee table in addition to standard double bunk conversion | 927 | V | | 927 |
| | ENGINES & DRIVE | | | | |
| B3-2100 | Engine Room Automated Fire Suppression System | 2,600 | | | |
| B3-2110 | Brunton folding prop upgrade in lieu of std fixed props – (2) | 5,872 | Ш | | |
| | NAVIGATION & ELECTRONICS | | | | |
| B3-3200 | Fusion Marine Stereo with docking station in saloon. Includes Bluetooth, USB & AUX connectivity. Fusion Marine speakers in saloon (2) & aft cockpit (2). Wired remote control at helm station (1) – Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system. | 1,854 | Ø | | 1,854 |
| B3-3220 | External speakers in fwd cockpit: 2 x speakers with wired remote and amplifier | 1,159 | Ø | | 1,159 |
| B3-3304 | Raymarine Base Pack: includes Ray 60 VHF (Multizone) at Switchpanel & additional VHF handset at helm, p70 colour autopilot display, AXIOM9 Multifunction display and i70 Colour instrument at Helmstation. With retractable depth & speed, plus wind transducers | 13,443 | Ø | | 13,443 |
| B3-3316 | AXIOM12 Multifunction display with WiFi at helm in lieu of an AXIOM9 Multifunction display (Requires Base Pack) | 2,318 | V | | 2,318 |
| B3-3324 B3-3326 | Additional i70 Display at Helmstation (Requires Base Pack) Additional AXIOM9 Multifunction display at nav station in saloon. c/w mounting bracket. (Requires | 927 3,477 | <u> </u> | | 927 |
| D3-3320 | Base Pack) | 3,477 | | | |
| B3-3335 B3-3341 | Autopilot Wireless remote smart controller in Saloon. (Requires Base Pack) Digital Radar: includes 4kw 18" 48nm digital Radome scanner c/w mast bracket and genoa | 1,190 3,399 | | | |
| B3-3342 | protection. (Requires Base Pack) HD Colour Radar includes 4 kW 18" 48nm Radome scanner. c/w mast bracket and genoa | 4,944 | | | |
| B3-3346 | protection. (Requires Base Pack) Fishfinder/DownVision – fitted in conjunction with 1 x a Series Multifunction display at Helmstation. Includes CP100 DownVision Fishfinder and CPT-110 Plastic Thru-Hull Transducer | 2,472 | | | |
| | (Requires Base Pack) | | | | |
| B3-3370 B3-3371 | Rear-view Raymarine camera (1) (Requires base pack) Forward facing Raymarine camera (1) (Requires base pack) | 877 877 | | | |
| B3-3380 | Raymarine Automatic Identification System with AIS 350 Receiver. (Requires Base Pack) | 1,622 | | | |
| B3-3381 | Raymarine Automatic Identification System with AIS 650 Transceiver. (Requires Base Pack) | 2,472 | | | |
| | ELECTRICAL | | | | |
| B3-4100 | 110V Shore Power Pack: includes 2 heavy duty 50ft 30amp shore powerlines, AC switch panel, | 6,026 | N | | 6,026 |
| B3-4110 | AC outlets in cabins. aallev. at nav. station & switchpanel 220v Shore Power Pack: includes 2 heavy duty 50ft 30amp shore powerlines, AC switch panel, | 6,026 | | | |
| B3-4150 | HWC 220v conversion. AC outlets in cabins. callev. at nav. station & at switchpanel Battery charger 60 amp (not to be ordered if inverter/charger options B3-4300 or B3-4315 is | 1,359 | | | |
| B3-4200 | chosen). Shaver outlets in heads, 110v with GFI protection—(4). (Only for boats with 110v systems, option | 1,034 | | | |
| B3-4201 | B3-4100) Shaver outlets in heads, 110v with GFI protection for 3 cabin layout — (3). (Only for boats with | 774 | Ø | | 774 |
| B3-4210 | 110v systems. option B3-4100) Shaver outlets in heads, combination 220v/110v with transformer current protection—(4). (Only for boats with 220v systems. option B3-4110) | 1,279 | | | |

| B3-4211 | Shaver outlets in heads, combination 220v/110v with transformer current protection for 3 cabin | 969 | | |
|--|---|--|--------------|--------------|
| B3-4300 | lavout—(3). (Only for boats with 220v systems. option B3-4110) Inverter/Battery Charger: 12V - 110V/2.0 kW inverter with 100A charge rate, including remote | 4.047 | | 4.047 |
| D3-4300 | operation panel with battery monitor (only for boats with 110v systems, option B3-4100) | 4,017 | 3 | 4,017 |
| B3-4315 | Inverter/Battery Charger: 12V - 220V/2.7kW inverter with 125A charge rate, including remote | 4,635 | | |
| | operation panel with battery monitor (only for boats with 220V systems, option B3-4110) | , | | |
| B3-4500 | Upgrade std Lead Acid house & engine batteries to AGM batteries | 1,854 | <u> </u> | 1,854 |
| B3-4550 | Link engine starter batteries to house batteries. Operated from push button at helm. | 201 | <u> </u> | 201 |
| B3-4600 B3-4601 | Ventilation fans in saloon (2) & cabins (4) - (6) total Ventilation fans in saloon (2) & cabins (3) for Three Cabin Layout - (5) total | 942 727 | | 727 |
| B3-4602 | Ventilation fans in cabins only for 4 cabin layout (4) | 594 | ö | 121 |
| B3-4603 | Ventilation fans in cabins only for 3 cabin layout (3) | 449 | < | 449 |
| B3-4900 | Windlass "up" footswitch | 224 | | |
| B3-5210 | Genset – Northern Lights 9kW (60 Hz 110V) / 7kW (50 Hz 220V) supplied from port fuel tank. Fuel transfer ability from stbd to port tank. Only for boats with shore power pack | 30,130 | | |
| B3-5215 | Provision for genset (includes fuel supply, exhaust system with through hull fittings and cooling | 6,335 | | |
| | water system, but excludes genset unit, wiring, battery and genset control panel). Only for boats | | | |
| | with shore power pack. | | | |
| B3-5250 | Airconditioning System - (2) 16 000 BTU 110V | 16,010 | | |
| B3-5255 | Airconditioning System - (2) 16 000 BTU 220V | 16,010 | 무 | |
| B3-5260 | Provision for Air-conditioning System (2 x 16 000 BTU - 110V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls (excludes | 6,644 | | |
| B3-5265 | wiring to pump, aircon and control locations) Provision for Air-conditioning System (2 off 16 000 BTU 220V) - Includes ducting, air vents and | 6,644 | | |
| B3-3203 | cooling water system with through hull fittings, but excludes aircon units and controls. (excludes | 0,044 | Ц | |
| D2 5670 | wiring to pump, aircon and control locations) Provision for TV in Saloon - Swing Bracket & AC Outlet | 140 | v | 440 |
| B3-5670 B3-5680 | Provision for TV in Saloon - Swing Bracket & AC Outlet Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet | 449 449 | | 449 |
| B3-57MM | Microwave oven in galley (110V) | 293 | Ħ | |
| B3-58MM | Microwave oven in galley (220V) | 293 | | |
| B3-5700 | Solar panels 100w each fitted to hard top - (2) | 3,708 | | |
| B3-5710 | Solar panels 100w each fitted to hard top - (4) | 7,262 | V | 7,262 |
| B3-5750 | Sterling alternator to battery charger | 1,159 | 쑴 | 1,159 |
| B3-5800 | Underwater Lights - 2 x Blue mounted in stern | 3,863 | ш | |
| | PLUMBING | | | |
| B3-6151 | Electric flushing toilets: Jabsco quiet flush (seawater option) in lieu of standard toilet for Three Cabin Layout - (1) only for Owner's Head | 936 | | |
| B3-6153 | Electric flushing toilets: Jabsco quiet flush (seawater option) in lieu of standard toilets for 3-Cabin | 2,809 | V | 2,809 |
| B3-6154 | Layout - (3) Electric flushing toilets: Jabsco quiet flush (seawater option) in lieu of standard toilets - (4) | 3,734 | | |
| B3-6300 | Extra water tank 220 lt/58 USg - (1) | 1.187 | + | |
| B3-6500 | Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system | 23,177 | | |
| B3-6510 | Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system plus optional Z-Brane electronic water treatment system | 25,718 | | |
| B3-6550 | Watermaker: Sea Recovery 117 ltr/31 Usgal per hr, 110v (Only for boats with 110v systems, option B3-4100) | 19,314 | | |
| B3-6560 | Watermaker: Sea Recovery 117 ltr/31 Usgal per hr, 220v (Only for boats with 220v systems, option B3-4110) | 19,314 | | |
| B3-6600 | Washer / dryer (110V) installed in owner's head – 3-cabin layout only | 3,089 | | |
| B3-6610 | Washer / dryer (220V) installed in owner's head – 3-cabin layout only | 3,089 | | |
| B3-6800 | Deck wash fitting & pump - dual fresh/salt water system | 936 | K | 936 |
| B3-6850 | Stern shower: Hot/cold water in lieu of cold only | 284 | ✓ | 284 |
| | HEATING, REFRIGERATION & GAS | | | |
| B3-7100 | LPG gas outlet on stern rail for optional BBQ | 538 | | |
| B3-7500 | 4-burner hob in lieu of standard 3-burner | 850 | | |
| B3-7710 | Refrigerator in aft cockpit 12v - in lieu of cockpit storage locker - (not to be ordered with options B3-7750, B3-7751 or B3-7754) | 1,854 | | |
| B3-7750 | Icemaker installed aft cockpit (110V) - in lieu of cockpit storage locker - (Only for boats with 110v systems, option B3-4100, not to be ordered with options B3-7710 or B3-7754) | 2,627 | | |
| B3-7751 | Icemaker installed in aft cockpit (220V) - in lieu of cockpit storage locker - (Only for boats with | 2,627 | | |
| D0 775 (| 000 / DO 4440 // 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | |
| | 220v systems, option B3-4110, not to be ordered with options B3-7710 or B3-7754) | | | |
| B3-7754 | 220v systems, option B3-4110, not to be ordered with options B3-7710 or B3-7754) 12V Icemaker installed in aft cockpit - in lieu of cockpit storage locker - (not to be ordered with options B3-7710, B3-7750 or B3-7751) | 1,854 | | |
| B3-7734 | 12V Icemaker installed in aft cockpit - in lieu of cockpit storage locker - (not to be ordered with options B3-7710, B3-7750 or B3-7751) | 1,854 | | |
| | 12V Icemaker installed in aft cockpit - in lieu of cockpit storage locker - (not to be ordered with options B3-7710, B3-7750 or B3-7751) DECK & HULL | | | ٥ |
| B3-8001 B3-8002 | 12V Icemaker installed in aft cockpit - in lieu of cockpit storage locker - (not to be ordered with options B3-7710, B3-7750 or B3-7751) DECK & HULL Exterior Pack 1 – "Grey" (Charcoal Grey + Black Antifouling) | 0 | | 0 |
| B3-8001 | 12V Icemaker installed in aft cockpit - in lieu of cockpit storage locker - (not to be ordered with options B3-7710, B3-7750 or B3-7751) DECK & HULL | 0 0 4,680 | | 0 |
| B3-8001 B3-8002 B3-8110 B3-8115 | 12V Icemaker installed in aft cockpit - in lieu of cockpit storage locker - (not to be ordered with options B3-7710, B3-7750 or B3-7751) DECK & HULL Exterior Pack 1 – "Grey" (Charcoal Grey + Black Antifouling) Exterior Pack 2 – "Blue" (Captain's Navy Blue + Blue Antifouling) Helmsman enclosure - includes shade cloth sides and back Removable helmseat spray dodger | 0 0 4,680 495 | | |
| B3-8001 B3-8002 B3-8110 B3-8115 B3-8120 | 12V Icemaker installed in aft cockpit - in lieu of cockpit storage locker - (not to be ordered with options B3-7710, B3-7750 or B3-7751) DECK & HULL Exterior Pack 1 – "Grey" (Charcoal Grey + Black Antifouling) Exterior Pack 2 – "Blue" (Captain's Navy Blue + Blue Antifouling) Helmsman enclosure - includes shade cloth sides and back Removable helmseat spray dodger Aft cockpit side & back shade curtains only | 0 0 4,680 495 2,163 | | 2,163 |
| B3-8001 B3-8002 B3-8110 B3-8115 B3-8120 B3-8150 | 12V Icemaker installed in aft cockpit - in lieu of cockpit storage locker - (not to be ordered with options B3-7710, B3-7750 or B3-7751) DECK & HULL Exterior Pack 1 – "Grey" (Charcoal Grey + Black Antifouling) Exterior Pack 2 – "Blue" (Captain's Navy Blue + Blue Antifouling) Helmsman enclosure - includes shade cloth sides and back Removable helmseat spray dodger Aft cockpit side & back shade curtains only Coach roof side window removable shade covers | 0 0 4,680 495 2,163 850 | | 2,163 850 |
| B3-8001 B3-8002 B3-8110 B3-8115 B3-8120 | 12V Icemaker installed in aft cockpit - in lieu of cockpit storage locker - (not to be ordered with options B3-7710, B3-7750 or B3-7751) DECK & HULL Exterior Pack 1 – "Grey" (Charcoal Grey + Black Antifouling) Exterior Pack 2 – "Blue" (Captain's Navy Blue + Blue Antifouling) Helmsman enclosure - includes shade cloth sides and back Removable helmseat spray dodger Aft cockpit side & back shade curtains only | 0 0 4,680 495 2,163 | | 2,163 |

| B3-8310 B3-8500 B3-8600 B3-8900 | Helm seat cushion - white (not to be ordered with aft cockpit cushions option B3-8300) Leather covered steering wheel Custom S/S davit system with tackle c/w electric winch Composite teak decking: aft cockpit, fwd cockpit, helm platform, transom steps. | 618 371 5.019 12,361 | | 371 5.019 | | |
|---|--|-------------------------------|----------|--------------|--|--|
| | SAILS & RIGGING | | | | | |
| B3-9100 | Asymetric spinnaker running rigging | 936 | [Z] | 936 | | |
| B3-9300 | Standard 1.5oz Asymetric spinnaker - as per exterior pack choice | 4,635 | | 4,635 | | |
| B3-9310 | Standard 1.5oz Asymetric spinnaker for shortened rig - as per exterior pack choice | 4,326 | | .,000 | | |
| B3-9400 | Boom Cover (stackpack) - as per exterior pack choice | 1,700 | | 1,700 | | |
| B3-9500 | Bowsprit c/w roller furler & Code 0 (All round light weather sail - Sheeted inside or outside) | 11,125 | | 1,700 | | |
| B3-9505 | Bowsprit c/w roller furler & Code D (All round light weather sail - Sheeted outside) | 12,516 | Ħ | | | |
| B3-9600 | Shortened rig: mast height reduced to 63' above design waterline (half load) – modified genoa UV | 302 | ᆔ | | | |
| B3-9000 | Square Top mainsail in lieu of std main | 695 | v | 695 | | |
| B3-9700 B3-9710 | Square Top mainsail in lieu of standard main for shortened rig option | | ă | 093 | | |
| D3-97 10 | Square Top mainsain in lieu of standard main for shortened hig option | 695 | ш, | | | |
| | GENERAL EQUIPMENT | | | | | |
| B3-9903 | 55lb (25kg) Delta anchor c/w 165ft (50m) chain | 1.468 | П | | | |
| B3-9905 | 55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain | 2,303 | | 2,303 | | |
| | | | H | 2,303 | | |
| B3-9911 | 35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp | | _ | | | |
| B3-9914 | 230ft (70m) anchor chain in lieu of 165ft (50m) chain | 452 | 붜 | 4.004 | | |
| B3-9915 | 330ft (100m) anchor chain in lieu of 165ft (50m) chain | 1,034 | 4 | 1,034 | | |
| B3-9918 | Anchor bridle, shackles and hook | 348 | | 348 | | |
| B3-9920 | Fenders (6), mooring lines (4, 16mm x 10m), spring lines (2, 16mm x 15m) | 773 | V | 773 | | |
| | OCMM/00/00/ING | | | | | |
| D2 0050 | COMMISSIONING Transport decumentation and commissioning pockages includes exti fauling point transport to | 44.045 | I | 44.045 | | |
| B3-9950 | Transport, documentation and commissioning package: includes anti-fouling paint, transport to | 14,215 | | 14,215 | | |
| B3-AUS | Supply of Australian compliant equipment. Electric toilets option for all heads must be taken (B3-6153 or B3-6154), 330' anchor chain option (B3-9915) must also be taken with this option. Note: does not include certification. | 3,786 | | | | |
| | USCG Safety Package including 8 man life raft, U-bolts and tie downs | | | | | |
| | CE Safety Package including 8 man life raft, U-bolts and tie downs | 5,277 | | 5,277 | | |
| | Cape Town hand-over including full detailing, full fuel tanks, and 3 days of dockage in V&A | 4,271 | | | | |
| | Water Delivery * | 55,467 | | | | |
| | Post delivery commissioning | 8,389 | | | | |
| | Freight Delivery * | 55,328 | S | 55,328 | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | USD | | |
| Total Opti | one | | ı | 154,143 | | |
| Total Opti | 0115 | | | 134,143 | | |
| Total Purc | chase Price (ex-tax) | | | 663,143 | | |
| Total Larc | made i nee (ex tax) | | | 000,140 | | |
| Exceptional Rebate | | | | 68.000 | | |
| Total Purchase Price after Rebate (ex-tax) 55 | | | | | | |
| Purchaser Date | | | | | | |
| Purchaser Date | | | | | | |
| | | | | | | |
| | | | | | | |
| <u>Dealer</u> | <u>Date</u> | | | | | |

^{*}In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit

Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions



STANDARD BOAT EQUIPEMENT LIST

SALOON

Laminate finishes with solid wood trims

Wear resistant laminate flooring

Saloon table convertible to a double bunk c/w mattress

U-shaped settee

LED overhead downlighting

Concealed overhead rope lighting

Overhead window with blind

Ventilation through fwd facing portlights

Stowage space under settee cushions

Forward doorway access to forward cockpit

Access to aft cockpit through sliding door

2 x Losse Ottoman stools (upholstered) to be used as:

- Chart table seat
- Settee seating
- Vanity table seat (3-cabin layout)

Joinery staircase to hull accommodation

GALLEY

Corian galley worktop surfaces

Single lever mixer faucet with pull out sprayer

Single bowl s/s sink

Dish and cutlery drying recess with drainage

Cover for drving recess

Vitrifrigo 2-drawer front-opening fridge/freezer

56USgal / 212Ltr 12v refrigeration

ENO gas 3-burner hob

ENO gas oven

Gas solenoid shut-off valve with control at switch panel & warning light at cooker

Gas cylinder regulator in dedicated cockpit LPG locker

Separate garbage bin locker

Stowage space in shelf lockers

Stowage space under floorboards

1 x Pot storage drawer below oven

4 x Galley drawers

Spice/condiment drawer

Outboard galley shelf with provision for microwave

NAVIGATION CONSOLE

Chart table with storage locker under hinged lid LED overhead lighting

Backrest s/s railing

NAVIGATION EQUIPMENT

Compass at helm position

GENERAL EQUIPMENT

6 x Fire extinguishers

Owner's Operating Manual

CE Certification

NMMA Certification

CABINS x 4 (4 CABIN VERSION)

Laminate finishes with solid wood trims

Wear resistant simulated wood flooring

Double berths:

- Fwd Bunks (1.42m x 2.15m or 56" x 84")

- Aft Bunks (1.50m x 2.05m or 59" x 80")

Bedside tables (aft cabin only)

Bedside cave locker inboard (forward cabins only)

Hanging locker with lower shelf

LED overhead downlighting

Concealed overhead rope lighting

Concealed under bunk rope lighting

2 x LED reading lights in each cabin

Overhead roller blinds for privacy Large open shelves

2 x Stowage drawers under bunk (only 1 drawer in aft cabins)

Stowage space under floorboards

Large hull window incorporating portlight and pleated blind

Transom portlight in aft cabins

OWNER CABIN (3 CABIN VERSION)

Laminate finishes with solid wood trims

Wear resistant simulated wood flooring

Double berth (1.50m x 2.05m or 59" x 80")

1 x Full height hanging locker

1 x Full height shelf locker

Vanity table/desk with storage locker under lid

Fold up vanity mirror

2 x Drawer units with 3 x drawers each

1 x Stowage drawer under bunk

Sliding entrance door with lock

LED overhead lighting

Concealed overhead rope lighting

Concealed under bunk rope lighting

2 x LED reading lamps over bunk

HEADS COMPARTMENTS x 4 (4 CABIN VERSION)

Washbasins with basin mixer and Corian top

Under-basin locker with toilet roll holder

Vanity locker with mirror

Double towel rail and ring

Sliding heads door

Coat hook on door

Dedicated trashcan locker

Shower compartment c/w lever mixer and adjustable shower rose

Shower sump with automatic drainage system

LED Overhead lighting

Overhead roller blinds for privacy

Large bowl manual toilet

PORT FOREPEAK

Hatch shade

Forepeak shelf with fiddle

LED light

Inboard storage locker with shelves

Acess through bulkhead door without lock

Ply base with Accèss hatch into bilge

STBD FOREPEAK

Hatch shade

Forepeak shelf with fiddle

LED light

Access through deck hatch only. No bulkhead access to interior

Full depth forepeak without ply base

Stainless steel access ladder

OWNER CABIN HEADS (3 CABIN VERSION)

Large washbasin with basin mixer and Corian top

Under basin locker (timber laminate finish)

Separate shower compartment with acrylic door c/w lever mixer and adjustable shower rose

Shower sump with automatic drainage system

Large bowl manual toilet

Double towel rail, hook and ring

Vanity locker with mirror

Dedicated trashcan locker

Large linen locker (can house optional washing machine)

Sliding heads door

Overhead roller blind for privacy

LED Overhead lighting

ENGINE & CONTROLS

Double lever throttle / gearshift control

Sound deadening panels in engine room

- 2 x Engine room ventilation fans and ducting
- 2 x Yanmar 45hp diesel engines with sail drives
- 2 x Propellers 3-blade fixed
- 2 x Fuel deck fillers
- 2 x Fuel filters / digital water sensors
- 2 x Fuel tanks 182USgal / 690Ltr total capacity
- 2 x Exhaust skin fittings (s/s)
- 2 x Exhaust water locks/mufflers
- 2 x Cooling water inlet strainers
- 2 x Exhaust cooling water temperature sensors with audible alarms at helm

RUDDER & STEERING SYSTEM

Balanced spade rudders

Rudder stock in F16ph stainless steel

Self aligning bearings

Chain and wire steering system c/w bulkhead steering unit and brake

Destrover-type steering wheel

Emergency tiller (s/s)

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:

- 2 x Water tanks, 206USqal / 780ltr total capacity
- 1 x fresh water pressure pump with accumulator tank
- 2 x Hot water cylinders 12USgal / 46ltr total capacity

Transom shower (cold only)

- 4 x Automatic shower drain pumps
- 2 x Holding tanks,

32USgal / 120ltr total capacity (3 cabin)

or 40USgal / 150ltr total capacity (4 cabin)

- 2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
- 2 x Manual bilge pumps
- 2 x High water bilge float switches with alarm at switch panel
- 2 x Elec. bilge pumps (engine room) c/w float switch and alarm at switch panel

ELECTRICAL INSTALLATION

LED Courtesy lights at stairways

LED Bi-colour & stern navlights

12v DC switch panel

- 1 x 12v outlet socket at switch panel
- 1 x 12v outlet socket at helmstation
- 2 x Double USB outlets at chart table
- 1 x Double USB outlet at switch panel
- 1 x Double USB outlet alongside switch panel
- 1 x Double USB oulet in each cabin
- 2 x Fuel tank gauges at helm position
- 2 x Ammeters at helm position
- 3 x House batteries 180Ah deep cycle lead acid type
- 2 x Engine starter batteries 100Ah lead acid type
- 1 x House battery isolator switch
- 2 x Engine starter battery isolator switches
- 2 x Alternators, standard with engines
- 1 x Electrical spares kit: fuses, relays, fuse holders

RUNNING RIGGING

2 x Main sheets (3:1 purchase)

- 2 x Genoa sheets
- 3 x Halyards (main, genoa & spare)
- 2 x Single line reefs lead aft

Main boom topping lift

Mainsail outhaul

MAST, RIGGING & SAILS

Natural anodized mast

Natural anodized crossbeam c/w mooring cleats

Wind indicator

Genoa furler

Mainsail full battened c/w 2 rows reefs

Furling genoa

2 x Additional spare 12V wires in mast

Additional spare conduit with messenger in mast

DECK FITTINGS

Guardwires with stanchions, bases, port & stb side gates

Guardwires across bow and stern

1600w vertical windlass 10mm gypsy c/w hand-held remote

Anchor bow roller fitting

Anchor chain stopper

Liferaft locker with convertible fore/aft seat bolster

Sliding companionway door/window

Hardtop over fwd and aft cockpit complete with LED down lighting and concealed rope lighting in aft cockpit

Hardtop bimini over helm c/w s/s supports and LED light

Folding swimming ladder c/w teak steps

Cockpit table

Bridle mainsheet system (3:1 purchase)

Trampoline

Helmseat with upholstered backrest

Acrylic smoke grey tinted windows

Hardtop supports

Hatches:

4 x Size 10 Flush Hatch over heads

2 x Size 44 Flush Hatch over aft cabins

- 4 x Size 60 Flush Hatch over forward cabins and forepeaks (2 x hatches over forepeaks include mushroom cowls) Portlights:
- 2 x Size 5 in windscreen
- 8 x Size 1 in hull side
- 2 x Custom in transom
- 1x Anchor/windlass locker with chain bin
- 5 x Foredeck/forward cockpit lockers
- Forward lounging cockpit c/w watertight saloon access door
- 2 x Pulpits with seat
- 2 x Pushpits
- 2 x Coachroof s/s handrails
- 2 x Hardtop grabhandles
- 2 x Transom grabhandles
- 9 x 260mm mooring cleats
- 2 x Winch handles
- 2 x Primary electric winches
- 1 x Main sheet winch
- 2 x Genoa cars
- 2 x Genoa tracks
- 1 x Winch handle pocket at helm
- 1 x Halyard clutch at helm (mainsail)
- 1 x Halyard clutch at helm (gennaker)
- 2 x Genoa sheet clutch at helm
- 2 x Main sheet clutch at helm
- 2 x Reef clutch at helm
- 1 x clutch and cleat on mast for genoa halyard
- 1 x Furler clutch
- 4 x Padeyes to allow for gennaker tackle

Drinks Holders - 2 x in fwd cockpit and 4 x in aft cockpit

Rope bag at helm and rope pocket for main sheet