

2019 Option List

Purchaser	ATG 2019 unit B1183 Only		USD
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	110v	379,000
	DESTINATION	Tortola, BVIs	
	NUMBER OF CABINS	3	
INTERIOR			
B1-1001	Upholstery Pack 1 – Faux Leather “Milk”	0	0 <input checked="" type="checkbox"/>
B1-1002	Upholstery Pack 2 – Suede “Kudu”	0	<input type="checkbox"/>
B1-1003	Upholstery Pack 3 – Faux Leather “Artesian”	0	<input type="checkbox"/>
B1-1004	Upholstery Pack 4 – Suede “Stallion Moon”	0	<input type="checkbox"/>
B1-1300	Full length mirrors for 4-Cabin Layout (4)	1,213	<input type="checkbox"/>
B1-1301	Full length mirrors for 3-Cabin Layout (3)	910	<input type="checkbox"/>
B1-1350	Forepeak child berths for 4-Cabin Layout, including mattresses (2)	1,500	<input type="checkbox"/>
B1-1351	Forepeak child berth for 3-Cabin Layout, including mattress (1)	800	800 <input checked="" type="checkbox"/>
B1-1400	Safe with digital combination lock	371	<input type="checkbox"/>
B1-1600	Interior saloon blinds - front & side windows	3,713	3,713 <input checked="" type="checkbox"/>
B1-1750	Saloon table convertible to coffee table in addition to standard double bunk conversion	910	<input type="checkbox"/>
ENGINES & DRIVE			
B1-2100	Engine Room Automated Fire Suppression System	2,643	<input type="checkbox"/>
B1-2110	Brunton folding prop upgrade in lieu of std fixed props (2)	4,396	<input type="checkbox"/>
NAVIGATION & ELECTRONICS			
B1-3200	Fusion Marine Stereo with docking station in saloon. Includes Bluetooth, USB, & AUX connectivity. Fusion Marine speakers in saloon (2) & aft cockpit (2). Wired remote control at helm station. - Note: Raymarine MFDs (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system	1,819	1,819 <input checked="" type="checkbox"/>
B1-3220	External foredeck speakers: 2 x speakers with wired remote and amplifier	1,137	<input type="checkbox"/>
B1-3304	Raymarine Base Pack: includes Ray 60 VHF (Multizone) at Switchpanel & additional VHF handset at helm, p70 colour autopilot display, AXIOM9 Multifunction display and i70 Colour instrument at Helmstation. With retractable depth & speed plus wind transducers	13,184	13,184 <input checked="" type="checkbox"/>
B1-3316	AXIOM12 Multifunction display at helm in lieu of an AXIOM9 Multifunction display (Requires Base Pack)	2,273	<input type="checkbox"/>
B1-3324	Additional i70 Display at Helmstation (Requires Base Pack)	910	910 <input checked="" type="checkbox"/>
B1-3326	Additional AXIOM9 Multifunction display at nav station in saloon. c/w mounting bracket. (Requires Base Pack)	3,410	<input type="checkbox"/>
B1-3335	Autopilot Wireless remote smart controller at Nav station (Requires Base Pack)	1,167	<input type="checkbox"/>
B1-3341	Digital Radar: includes 4kW 18" 48nm digital Radome scanner c/w mast bracket and genoa protection. (Requires Base Pack)	3,334	<input type="checkbox"/>
B1-3342	HD Colour Radar includes 4 kW 18" 48nm Radome scanner. c/w mast bracket and genoa protection. (Requires Base Pack)	4,850	4,850 <input checked="" type="checkbox"/>
B1-3346	Fishfinder/DownVision – fitted in conjunction with 1 x a Series Multifunction display at Helmstation. Includes CP100 DownVision Fishfinder and CPT-110 Plastic Thru-Hull Transducer (Requires Base Pack)	2,426	<input type="checkbox"/>
B1-3370	Rear-view Raymarine camera (1) (Requires base pack)	877	<input type="checkbox"/>
B1-3371	Fwd facing Raymarine camera (1) (Requires base pack)	877	<input type="checkbox"/>
B1-3380	Raymarine Automatic Identification System with AIS 350 Receiver. (Requires Base Pack)	1,591	<input type="checkbox"/>
B1-3381	Raymarine Automatic Identification System with AIS 650 Transceiver. (Requires Base Pack)	2,426	2,426 <input checked="" type="checkbox"/>
ELECTRICAL			
B1-4100	110V Shore Power Pack: includes 2 heavy duty 50ft 30amp shore powerlines, AC switch panel, AC outlets in cabins, galley, at nav. station & switchpanel	5,910	5,910 <input checked="" type="checkbox"/>
B1-4110	220V Shore Power Pack: includes 2 heavy duty 50ft 30amp shore powerlines, AC switch panel, HWC 220V conversion, AC outlets in cabins, galley, at nav. station & at switchpanel	5,940	<input type="checkbox"/>
B1-4150	Battery charger 60 Amp (not to be ordered if inverter/charger options B1-4300 or B1-4315 is	1,334	<input type="checkbox"/>
B1-4200	Shaver outlets in heads, 110v with GFI protection—(2) (Only for boats with 110v systems, option B1-4100)	530	<input type="checkbox"/>
B1-4210	Shaver outlets in heads, combination 220V/110V with transformer current protection—(2) (Only for boats with 220V systems, option B1-4110)	636	<input type="checkbox"/>
B1-4300	Inverter/Battery Charger: 12V - 110V/2.0 kW inverter with 100A charge rate, including remote operation panel with battery monitor (only for boats with 110v systems, option -B1-4100)	3,940	3,940 <input checked="" type="checkbox"/>
B1-4315	Inverter/Battery Charger: 12V - 220V/2.7kW inverter with 125A charge rate, including remote operation panel with battery monitor (only for boats with 220V systems, option B1-4110)	4,546	<input type="checkbox"/>

B1-4400	Battery monitor to provide status on house batteries (not to be ordered if inverter/charger option B1-4300/4315 chosen as a monitor is included)	393	<input type="checkbox"/>	
B1-4500	Upgrade std Lead Acid house & engine batteries to AGM batteries	1,364	<input type="checkbox"/>	
B1-4510	One additional AGM house battery (210 Ahr) - House battery note: A maximum of one additional house battery can be added on the L40: i.e. max three house batteries in total	880	<input type="checkbox"/>	
B1-4550	Link engine starter batteries to house batteries. Operated from push button at helm (Not to be ordered with option B1-5750)	197	<input checked="" type="checkbox"/>	197
B1-4600	Ventilation fans in saloon (2) & cabins (4) for Four Cabin Layout- (6) total	924	<input type="checkbox"/>	
B1-4601	Ventilation fans in saloon (2) & cabins (3) for Three Cabin Layout - (5) total	711	<input checked="" type="checkbox"/>	711
B1-4900	Windlass "up" footswitch	220	<input type="checkbox"/>	
B1-5200	Genset - Northern Lights 6kW (60 Hz 110V) / 5kW (50Hz 220V) supplied from port fuel tank. Fuel transfer ability from stb to port tank. Only for boats with shore power pack	24,096	<input type="checkbox"/>	
B1-5215	Provision for genset (includes fuel supply, ventilation blower, auxiliary fuel/water pumps, light, exhaust & cooling water systems with through hull fittings. Excludes genset unit & control panel, battery & AC wiring). Only for boats with shore power pack	5,607	<input type="checkbox"/>	
B1-5250	Airconditioning System - (2) 16 000 BTU 110V	15,703	<input type="checkbox"/>	
B1-5255	Airconditioning System - (2) 16 000 BTU 220V	15,703	<input type="checkbox"/>	
B1-5260	Provision for Air-conditioning System (2 x 16 000 BTU - 110V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls (excludes wiring to pump, aircon and control locations)	5,607	<input type="checkbox"/>	
B1-5265	Provision for Air-conditioning System (2 x 16 000 BTU 220V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls. (Excludes wiring to pump, aircon and control locations)	5,607	<input type="checkbox"/>	
B1-5420	Electric Sheet winch - (1) (in lieu of outboard primary winch)	2,273	<input checked="" type="checkbox"/>	2,273
B1-5430	Electric Sheet winches - (2) (in lieu of std primary winches)	4,547	<input type="checkbox"/>	
B1-5670	Provision for TV in Saloon - swing bracket & AC outlet	440	<input type="checkbox"/>	
B1-5680	Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet	440	<input type="checkbox"/>	
B1-57MM	Microwave oven in galley (110V)	287	<input type="checkbox"/>	
B1-58MM	Microwave oven in galley (220V)	287	<input type="checkbox"/>	
B1-5700	Solar panels 100w each fitted to hard top - (2)	3,637	<input checked="" type="checkbox"/>	3,637
B1-5710	Solar panels 100w each fitted to hard top - (4)	7,123	<input type="checkbox"/>	
B1-5750	Sterling alternator to battery charger. Includes button at helm to link engine batteries to house	1,500	<input checked="" type="checkbox"/>	1,500
B1-5800	Underwater Lights - 2 x Blue mounted in stern	3,789	<input type="checkbox"/>	

PLUMBING

B1-6151	Electric flushing toilets: Jabsco quiet flush (seawater option) in lieu of standard toilet for Three Cabin Layout - (1) only for Owner's Head	919	<input type="checkbox"/>	
B1-6152	Electric flushing toilets: Jabsco quiet flush (seawater option) in lieu of standard toilets - (2)	1,837	<input type="checkbox"/>	
B1-6500	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system	22,731	<input type="checkbox"/>	
B1-6510	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system plus optional Z-Brane electronic water treatment system	25,223	<input type="checkbox"/>	
B1-6600	Washer/dryer (110V) installed in stb forepeak - 3-Cabin Layout only	3,030	<input checked="" type="checkbox"/>	3,030
B1-6610	Washer/dryer (220V) installed in stb forepeak - 3-Cabin Layout only	3,030	<input type="checkbox"/>	
B1-6800	Deck wash fitting & pump - dual fresh/salt water system	919	<input checked="" type="checkbox"/>	919
B1-6850	Stern shower: Hot/cold water in lieu of cold only	280	<input checked="" type="checkbox"/>	280

HEATING REFRIGERATION & GAS

B1-7100	LPG gas outlet on stern rail for optional BBQ	527	<input checked="" type="checkbox"/>	527
---------	---	-----	-------------------------------------	-----

DECK & HULL

B1-8001	Exterior Pack 1 – Charcoal (Grey)	0	<input checked="" type="checkbox"/>	0
B1-8002	Exterior Pack 2 – Captain's Navy (Blue)	0	<input type="checkbox"/>	
B1-8115	Removable helmstation spray dodger	440	<input checked="" type="checkbox"/>	440
B1-8120	Aft cockpit side and back shade curtains	1,364	<input type="checkbox"/>	
B1-8150	Coach roof side window removable shade covers	834	<input type="checkbox"/>	
B1-8300	Aft Cockpit Cushions. Includes white helm seat cushion	3,286	<input type="checkbox"/>	
B1-8310	Helm seat cushion - white (not to be ordered with all cockpit cushions option B1-8300)	671	<input checked="" type="checkbox"/>	671
B1-8315	Foredeck Cushions	4,143	<input type="checkbox"/>	
B1-8500	Leather covered steering wheel	364	<input checked="" type="checkbox"/>	364
B1-8600	Custom S/S davit system with tackle c/w electric winch	4,547	<input checked="" type="checkbox"/>	4,547
B1-8900	Composite teak decking (Colour - Weathered with Black Caulking): aft cockpit, fwd cockpit, helm platform, transom steps	10,153	<input type="checkbox"/>	
B1-8901	Composite teak decking (Colour - Weathered with White Caulking): aft cockpit, fwd cockpit, helm platform, transom steps	10,153	<input type="checkbox"/>	

SAILS & RIGGING

B1-9100	Asymmetric spinnaker running rigging	833	<input checked="" type="checkbox"/>	833
B1-9300	Standard 1.5oz Asymmetric spinnaker - as per exterior pack choice	3,789	<input type="checkbox"/>	
B1-9400	Boom Cover (stackpack) - as per exterior pack choice	1,515	<input checked="" type="checkbox"/>	1,515
B1-9500	Bowsprit c/w roller furler & Gennaker	6,819	<input type="checkbox"/>	
B1-9700	Square Top mainsail in lieu of std main	530	<input type="checkbox"/>	

GENERAL EQUIPMENT

B1-9901	45lb (20kg) Delta anchor c/w 165ft (50m) chain	1,288	<input checked="" type="checkbox"/>	1,288
---------	--	-------	-------------------------------------	-------

B1-9905	44lb (20kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	1,940	<input type="checkbox"/>	
B1-9911	35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp	833	<input type="checkbox"/>	
B1-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	443	<input type="checkbox"/>	
B1-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	1,013	<input type="checkbox"/>	
B1-9918	Anchor bridle, shackles and hook	303	<input checked="" type="checkbox"/>	303
B1-9920	Fender (6), mooring lines (4, 16mm x 10m), spring lines (2, 16mm x 15m)	758	<input checked="" type="checkbox"/>	758

COMMISSIONING

B1-9950	Transport, factory documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate	13,790	<input checked="" type="checkbox"/>	13,790
B1-AUS	Supply of Australian compliant equipment. Electric toilets option for all heads must be taken (B1-6152), 330' anchor chain option (B1-9915) must also be taken with this option. Note: does not USCG Safety Package including 8 man life raft, U-bolts and tie downs	3,485	<input type="checkbox"/>	
	CE Safety Package including 8 man life raft, U-bolts and tie downs	4,548	<input type="checkbox"/>	
	Cape Town Delivery including full detailing, full fuel tanks, and 3 days of dockage at the V&A	5,277	<input type="checkbox"/>	
	Water Delivery *	3,786	<input checked="" type="checkbox"/>	3,786
	Post delivery commissioning	29,333	<input type="checkbox"/>	
	Freight Delivery *	7,437	<input type="checkbox"/>	
		23,333	<input type="checkbox"/>	
			<input type="checkbox"/>	
			<input type="checkbox"/>	
			<input type="checkbox"/>	

USD

Total Options	78.923
Total Purchase Price (ex-tax)	457.923
Exceptional Rebate	30.000
Total Purchase Price after Rebate (ex-tax)	427.923

Purchaser _____ Date _____

Purchaser _____ Date _____

Dealer _____ Date _____

**In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions*

STANDARD BOAT EQUIPMENT LIST**SALOON**

Laminate finish with solid wood trims
 Wear resistant simulated wood flooring
 Saloon table - convertible to double bunk c/w mattress
 LED overhead lighting
 Ventilation through forward facing portlights
 Storage space under settee cushions
 Forward doorway access to foredeck
 Access to aft cockpit through sliding door/window
 2 x Loose Ottoman stools to be used as:
 Chart table seat
 Settee seating
 Vanity table seat (3-cabin layout)

GALLEY

Corian galley worktop surfaces
 Single lever mixer faucet with pull-out sprayer
 Single bowl s/s sink
 Dish and cutlery drying recess with drainage
 Cover for drying recess
 Vitrefriqo 2-drawer fridge/freezer 56USgal / 212Ltr 12v
 ENO 3-burner gas hob
 ENO gas oven
 Gas solenoid shut-off valve with control at switch panel & warning light at cooker
 Gas cylinder regulator in dedicated cockpit LPG locker
 Separate garbage bin locker
 Storage space in shelf lockers
 Storage space under floorboards
 Pot drawer under oven
 4 x Drawers alongside oven
 Outboard galley shelf with provision for microwave

NAVIGATION CONSOLE

Chart table with storage locker under hinged lid
 LED overhead lighting
 Backrest s/s railing

CABINS x 4 (4 CABIN VERSION)

Laminate finish with solid wood trims
 Wear resistant laminate flooring
 Double berths:
 Forward Bunks (1.5m x 2.14m or 4'11" x 7'0")
 Aft Bunks (1.57m x 2.04m or 5'2" x 6'8")
 Hanging locker with lower shelf
 LED overhead lighting
 2 x LED reading lamps in each cabin
 Overhead roller blinds for privacy
 Large open shelves
 2 x Storage drawers under each bunk
 Large hull window incorporating portlight and pleated blind

OWNER CABIN (3 CABIN VERSION)

Laminate finish with solid wood trims
 Wear resistant laminate flooring
 Double berth (1.57m x 2.04m or 5'2" x 6'8")
 1 x Full height hanging locker
 1 x Full height shelf locker
 Vanity table/desk with storage locker under lid
 Fold up vanity mirror
 Drawer unit with 3 x drawers
 2 x Storage drawers under bunk
 Sliding entrance door with lock
 LED overhead lighting
 2 x LED reading lamps over bunk

HEADS COMPARTMENTS x 2 (4 CABIN VERSION)

Washbasins with basin mixer and Corian worktop
 Under-basin locker with toilet roll holder
 Vanity locker with mirror

Double towel rail and ring
Sliding heads door
Coat hook on door
Dedicated trashcan locker
Shower compartment c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage system
LED Overhead lighting
Overhead roller blinds for privacy
Large bowl manual toilet

OWNER CABIN HEADS (3 CABIN VERSION)

Large washbasin with Corian top
Under-basin locker with toilet roll holder
Single lever mixer
Separate shower compartment with divider c/w lever mixer and adjustable drainage system
Shower sump with automatic drainage system
Large bowl manual toilet
Double towel rail, hook and ring
Vanity Locker with mirror
Dedicated trashcan locker

NAVIGATION EQUIPMENT

Compass at helm position

RUDDER & STEERING SYSTEM

Balanced spade rudders
Rudder stock in F16ph stainless steel
Self aligning bearings
Chain-and-wire steering system c/w bulkhead steering unit and brake
Destroyer-type steering wheel
Emergency tiller (s/s)

DECK FITTINGS

Guardwires with stanchions, bases, port & starboard side gates
Guardwires across bow and stern
1000w vertical windlass 10mm gypsy c/w hand-held remote
Anchor bow roller fitting
Anchor chain stopper
Liferaft locker with convertible fore/aft seat bolster
Sliding companionway door/window
Hardtop over cockpit complete with LED lighting
Hardtop bimini over helm with supports and LED light
Folding swimming ladder c/w teak steps
Cockpit table
1 x Furler jammer on side deck
Bridle mainsheet system (3:1 purchase)
Trampoline
Helmseat with upholstered backrest
Acrylic smoke grey tinted windows
Hardtop supports
Side window brows
Hatches:
2 x Size 10 Flush Hatch over heads
4 x Size 44 Flush Hatch over cabins
1 x Size 70 Flush Hatch over cockpit
Portlights:
2 x Size 5 in windscreen
8 x Size 1 in hull side and transom
1 x Anchor chain bin
1 x Anchor/windlass locker
3 x Foredeck locker
Forward access to foredeck c/w watertight saloon access door
2 x Pulpits with seat
2 x Pushpits
2 x Coachroof handrails
2 x Hardtop grab handles
2 x Transom grab handles
9 x 260mm mooring cleats
2 x Winch handles
2 x Primary winch - (black anodised alloy)
2 x genoa cars with pin stop
2 x genoa tracks
1 x Winch handle pocket at helm
2 x Halyard clutch at helm (main & gennaker)
2 x Genoa clutch at helm
2 x Mainsheet clutch at helm
2 x Reef clutch at helm
1 x Clutch and cleat on mast for genoa halyard

4 x Padeyes to allow for gennaker tackle
Drinks holders
2 in forward stairwell
4 in aft cockpit/helm
Rope locker at helm

ENGINE & CONTROLS

Double lever throttle / gearshift control
Sound deadening panels in engine room
2 x Engine room ventilation fans and ducting
2 x Yanmar 29hp diesel engines with sail drives
2 x Propellers - 2-blade fixed
2 x Fuel deck fillers
2 x Fuel filter / water separators
2 x Fuel tanks 95USgal / 360Ltr total capacity
2 x Exhaust skin fittings (s/s)
2 x Exhaust water locks
2 x Cooling water inlet strainers
2 x Exhaust cooling water temperature sensors with
Audible alarms at helm

ELECTRICAL INSTALLATION

LED Courtesy lights at stairways
Bi-colour & stern navlights
12v DC switch panel
12v socket at switch panel
Double USB socket at switch panel
Double USB socket alongside switch panel
2 x Double USB socket at chart table
1 x Double USB socket in each cabin
2 x Fuel tank gauges at helm position
2 x Ammeters at helm position
2 x House batteries - 210Ah deep cycle lead acid type
2 x Engine starter batteries - 100Ah lead acid type
1 x House battery isolator switch
2 x Engine starter battery isolator switches
2 x Alternators, standard with engines
1 x Electrical spares kit: fuses, relays, fuse holders

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:
2 x Water tanks, 206USgal / 780ltr total capacity
1 x 3.5 GPM fresh water pressure pump with 1 ltr accumulator tank
2 x Hot water cylinders 12USgal / 46ltr total capacity
Transom shower (cold only)
2 x Automatic shower drain pumps
2 x Holding tanks, 24USgal / 90ltr total capacity
2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
2 x Manual bilge pumps (keel sump)
2 x High bilge float switches with alarm at switch panel
2 x Electric bilge pumps (engine room) with float switch and warning light at switch panel

RUNNING RIGGING

2 x Main sheets (3:1 purchase)
2 x Genoa sheets
3 x Halyards (main, genoa & spare)
2 x Single line reefs lead aft
Main boom topping lift

MAST, RIGGING & SAILS

Natural anodized mast
Natural anodized crossbeam c/w mooring cleats
Wind indicator
Genoa furler
Mainsail full battened c/w 2 rows reefs
120% Furling genoa
2 x Additional spare 12v wires in mast
Additional spare conduit with messenger in mast

GENERAL EQUIPMENT

6 x Fire extinguishers
Owner's Operating Manual