



Oceanis 38



Inventory list - Europe

Daysailer




Daysailer

Weekender / Cruiser



Weekender - 2 convertible cabins



Weekender - 3 convertible cabins

GENERAL SPECIFICATIONS


• L.O.A (Daysailer)	11,15 m	36'7"
• L.O.A (Weekender & Cruiser)	11,50 m	37'9"
• Hull length	11,13 m	36'6"
• L.W.L.	10,72 m	35'2"
• Beam	3,99 m	13'1"
• Light displacement (Daysailer - GTE)	6 483 kg	14,289 lbs
• Light displacement (Cruiser - GTE)	6 774 kg	14,930 lbs
• Deep draught	2,05 m	6'9"
• Deep ballast weight	1 790 kg	3,945 lbs
• Shallow draught	1,60 m	5'3"
• Shallow ballast weight	2 060 kg	4,540 lbs
• Air draught	16,55 m	54'4"
• Freshwater capacity (standard)	130 l	34 US Gal
• Freshwater capacity (optional)	200 l	53 US Gal
• Fuel capacity	130 l	34 US Gal
• Engine power	30 HP	30 HP
	POD 60	POD 60

STANDARD SAIL LAYOUT AND AREA


• Mainsail (classic)	32,70 m ²	393 sq/ft
• Furling mainsail	30,00 m ²	323 sq/ft
• Genoa (103 %)	33,00 m ²	355 sq/ft
• Asymmetric spinnaker	114 m ²	1,227 sq/ft
• Code 0	65 m ²	700 sq/ft
• Tacking jib	25 m ²	269 sq/ft
• I	14,01 m	46'
• J	4,79 m	15'9"
• P	13,25 m	43'6"
• E	4,21 m	13'10"

EC CERTIFICATE

- Category A - 8 persons
- Category B - 9 persons
- Category C - 10 persons



Cruiser - 2 cabins



Cruiser - 3 cabins

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C
CONSTRUCTION					
<ul style="list-style-type: none"> Design in accordance with European Directive requirements and according to EC certification Monolithic hull design in polyester Monolithic structural inner moulding bonded to the hull Deck injection constructed in glass fibre and Saerfoam foam sandwich, covered with " diamond-tip " type non-slip surface Hull-deck join screwed, bonded and trimmed with 1 bulwark Cast iron keel fixed with bolts and stainless steel backing plates 2 Underhung rudders with stainless steel stock White coloured hull - Hull decorated grey & Blue 	standard	standard		standard	

DECK EQUIPMENT

RIGGING

<ul style="list-style-type: none"> Standard mast 9/10 electro-polished aluminium installed on the deck, 2 aft-swept spreaders Anodised aluminium boom Discontinuous stainless steel standing rigging 1 Backstay: Bridle Rigid boom vang with tackle Genoa furling system with drum on the deck 2 genoa tracks with piston adjusted traveller cars 2 Genoa sheet return blocks Rigging run back to cockpit (except boom topping lift) Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets, 2 rapid reefing lines, 2 Automatic reefing system 4 clutches, 2 Jamming cleats 	standard	standard		standard	
<ul style="list-style-type: none"> 2 fixed points - Mainsail sheet, on the coachroof Fixed composite arch, with incorporated LED lighting 2 Blocks "Stand Up" - Mainsail sheet 	Pack	standard		standard	

WINCHES

<ul style="list-style-type: none"> 2 Self-tailing genoa sheet winches (H40.2 STC) 1 Coach roof winch self tailing (H35.2 STC) 2 Aluminium winch handles "Speed Grip", 2 Winch handle boxes 	standard	standard		standard	
---	----------	----------	--	----------	--

SAILS

<ul style="list-style-type: none"> Furling genoa with UV protective strip Semi full batten written mainsail with slider (Roller slides for fully battened mainsail) Lazy Jack and Lazy Bag in Natural colour 	standard	standard		standard	
---	----------	----------	--	----------	--

MOORING LINES - MOORING

<ul style="list-style-type: none"> Self-bailing chain locker - Clench bolt - Hatch cover Stainless steel deck plate 6 Aluminium mooring cleats - Stainless steel deck line protection 	standard	standard		standard	
--	----------	----------	--	----------	--

COCKPIT

<ul style="list-style-type: none"> Self-draining cockpit 1 Cockpit locker 2 Lockers in cockpit bottom - Side helm's seats 1 Liferaft locker - aft cockpit (0,95 m x 0,59 m x 0,36 m / 3'1" x 1'11" x 1'2") Cockpit bench seats (1,69 m x 0,50 m / 5'7" x 1'8") 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter / 2'11" - leather covered - Steering gear at the helm station - metal cable transmission system - Stainless steel handrail - navigation instrument support (optional instruments) - Glass holder 1 Deck hole for access to tiller system 1 Emergency tiller Portside engine control and control panel 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA 	standard	standard		standard	
<ul style="list-style-type: none"> Cold water cockpit shower hose 	Optional equipment	Optional equipment			
<ul style="list-style-type: none"> Cockpit shower hot/Cold water 		Pack		standard	

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

SAFETY ON DECK

<ul style="list-style-type: none"> 1 Open stainless steel forward pulpit, 2 Stainless steel aft pushpits 1 Lifebuoy support bracket, 1 Ensign staff - Bracket Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail 	standard	standard	standard
--	----------	----------	----------

SWIM DECK / STERN DECK

<ul style="list-style-type: none"> Fully opening transom, convertible to bathing platform (2,60 m x 0,70 m / 8'6" x 2'4") Opened by gas cylinder - Manual, 1 Stainless steel integrated telescopic swimming ladder 2 Steering compass 		standard	standard
--	--	----------	----------

INTERIOR ACCOMMODATION

<ul style="list-style-type: none"> Alpi Blond Oak joinery Brown oak laminated soles Fabric lined hull in saloon and forecabin Upholstery & Mattress, Taupe PVC fabric, Foam density 24 kg/m³ 	standard	standard	standard
---	----------	----------	----------

SALOON

<ul style="list-style-type: none"> Headroom: 1,95 m / 6'5" Longitudinal saloon settee Storage under bench seats Chart table with Reading light - Single table top to port Shelves with wood fiddles 2 Panoramic windows - deckhouse 2 Hull ports 1 Opening deck hatch 1 Opening porthole in coaming 6 Overhead lights Saloon table with one-piece wood top - 2 feet 	standard	standard	standard
<ul style="list-style-type: none"> High, closed units Chart table (with opening top) 	Pack	Pack	

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

COMPANIONWAY

<ul style="list-style-type: none"> Headroom: 1,96 m / 6'5" GRP saloon companionway coated with non-slip surface on the steps 2 Sheathed stainless steel hand rails 	standard	standard	standard
---	----------	----------	----------

LARGE HANGER CLOSET - PORT SIDE

<ul style="list-style-type: none"> Headroom: 1,85 m / 6'1" Beam: 70 cm / 2'4" 1 Overhead light 1 Opening porthole in coaming 	standard	standard	standard
--	----------	----------	----------

FORWARD CABIN

<ul style="list-style-type: none"> Headroom: 1,95 m / 6'5" Central double bed (1,50 m x 2,08 m x 1,08 m / 4'11" x 6'10" x 3'7") Valet tray - Open shelving - Drawer under the bed 1 Flush opening deck hatch 2 Hull ports 2 Reading lights 	standard	standard	standard
<p>Additional equipment for private version</p> <ul style="list-style-type: none"> Bulkhead - Door of access Curtains 2 pouffes, in the saloon 2 Overhead lights 2 Hanging trunk + suiter Longchamp 		Pack	standard
		Optional equipment	

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

GALLEY - STARBOARD

<ul style="list-style-type: none"> Headroom: 1,97 m / 6'6" Laminated worktop - Taupe 1 Stainless steel sink - 1 Rectangular stainless steel basin - 1 Tap with cold water, under pressure Cubby hole locker, Bin 1 Base cabinet: 1 Shelving (the fitted refrigerator in the Cuisine Pack version comes in place of this layout) 1 All-round coachroof window 	standard	standard		standard	
Additional equipment for fitted galley <ul style="list-style-type: none"> Gas system: Gas cylinder locker - starboard aft cockpit - (25 X 27 X 40 cm / 10" x 11" x 15") - Regulator and safety tap 1 Stainless steel 2 hob gas oven cooker on mounting Unit - Cooker (Drawer & Cupboards) Fridge - 12 V - 130 l, front opening 		Pack		standard	

STARBOARD AFT

<ul style="list-style-type: none"> Headroom: 1,85 m / 6'1" Interior stowage space, for 2 cabins versions Direct access from the saloon Allows direct access to the cockpit locker 	standard	standard		standard	
Additional equipment for privative cabin version <ul style="list-style-type: none"> Bulkhead with 1 access door 1 Overhead light Open shelving Padding upholstery along the hull Curtains: Cabin & Saloon Opening portholes: Roof & Cockpit Dimensions - Berths: 1,50 m x 2,00 m x 1,65 m / 4'11" x 6'7" x 5'5" 1 Wardrobe trunk + suiter Longchamp 			Pack		standard
			Optional equipment		

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

PORT AFT

<ul style="list-style-type: none"> Headroom: 1,85 m / 6'1" Interior stowage space 	standard	standard		standard	
Additional equipment for privative cabin version <ul style="list-style-type: none"> Bulkhead with 1 access door 2 Reading lights 1 Overhead light Open shelving Padding upholstery along the hull Curtains: Cabin & Saloon Opening portholes: Roof & Cockpit 		Pack	Pack		standard
<ul style="list-style-type: none"> Dimensions - Berth (2 cabins version) : 1,65 m x 2,18 m x 2,05 m / 5'5" x 7'2" x 6'9" 		Pack		standard	
<ul style="list-style-type: none"> Dimensions - Berth (3 cabins version): 1,50 m x 2,00 m x 1,65 m / 4'11" x 6'7" x 5'5" 			Pack		standard
<ul style="list-style-type: none"> 1 Wardrobe trunk + suiter Longchamp 			Optional equipment		standard

STARBOARD AFT HEAD COMPARTMENT

<ul style="list-style-type: none"> Headroom: 1,89 m / 6'2" Access through saloon 1 Basin, 1 Tap with cold water, Shower 1 Manual marine toilet Washroom cabinet, 1 Mirror, Toilet accessories, Peg 1 Opening portlight with curtains in side windows in the coaming 	standard	standard		standard	
<ul style="list-style-type: none"> 1 Overhead light 					
<ul style="list-style-type: none"> 1 Mixer tap hot water/Cold water 		Pack			

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C
ENGINE					
• Engine Yanmar Diesel 30 hp / 30 HP Sail Drive	standard	standard	standard	standard	standard
• Yanmar Diesel Dock & Go POD 60 engine (Swivel Sail Drive base, Joystick, Vessel Management Unit (VMU), Bow thruster, Auto pilot)	Optional equipment	Optional equipment	Optional equipment	Optional equipment	Optional equipment
• Engine control - Control panel in cockpit • Engine compartment: Soundproofing foam - Ventilation: 2 Air intakes and 1 powered air expulsion • 1 Alternator - 12 V / 125 Ah • 1 Rotomoulded diesel tank 130 L / 34 US Gal - Electronic gauge - Low level alarm - 1 Deck filler • Filters: Sea water - Diesel - Decanter • Fixed three blades propeller • 1 Engine access through companionway (opening with 2 gas struts) - 3 access to engine by the sides of the companionway	standard	standard	standard	standard	standard

ELECTRICITY

• Advanced 12 V circuit					
• 1 Service battery (80 Ah) - 1 Engine battery (80 Ah) • 1 Power distributor • 12 V electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning) • 1 12 V Socket • Navigation lights: 1 Navigation light - 1 Engine navigation light - 1 Anchor light on masthead • Wire runs for options cables	standard	standard	standard	standard	standard
• Full 12 / 220 V system: Inside sockets, 40 Amperes battery charger, Shore power socket • 2 80 amperes additional service batteries • Navigation light & Interior lights LED			Pack	Pack	

PLUMBING

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C
PLUMBING					
• 1 rotomoulded freshwater tank (130 l / 34 US Gal) • 1 Deck filler • Water unit • 1 Rigid holding tank 80L / 21 US Gal • Electric pump & Shower draining • 1 Electric bilge pump - 1 Manual bilge pump	standard	standard	standard	standard	standard
• Water heater (25 l / 7 US Gal) • Additional freshwater supply (200 l / 53 US Gal) • Plumbing board + Expansion tank			Pack	standard	

	Daysailer	Weekender	Cruiser
Fitted galley Pack		Optional equipment	standard

- Gas system: Gas cylinder locker - starboard aft cockpit (25 x 27 x 40 cm / 10" x 11" x 15") - Regulator and safety tap
- 1 Stainless steel 2 hob gas oven cooker on mounting
- Unit (Drawer & Cupboards)
- Fridge 12 V - 130 l, front opening

	Daysailer	Weekender	Cruiser
Private forecabin Pack		Optional equipment	standard

- Bulkhead - Door of access
- Curtains
- 2 pouffes, in the saloon
- 2 Overhead lights
- 2 Hanging trunk + suiter Longchamp (standard in Cruiser version, an option in Weekender version)

	Daysailer	Weekender	Cruiser
Aft cabins Pack		Optional equipment	standard

- Headroom: 1,95 m / 6'5"
- Foam mattress density: 24 kg/m3 - Covered with Taupe PVC fabric
- Bulkhead with 1 access door
- 2 Reading lights
- 1 Overhead light
- Open shelving
- Padding upholstery along the hull
- Curtains: Cabin & Saloon
- Opening portholes: Roof & Cockpit
- 1 Wardrobe trunk + suiter Longchamp (standard in Cruiser version, an option in Weekender version)

	Daysailer	Weekender	Cruiser
Additional stowage in the saloon Pack	Optional equipment	Optional equipment	standard

- High, closed units (Saloon - Port side, Starboard)
- Chart table (with opening top)

	Daysailer	Weekender	Cruiser
Aqua Pack		Optional equipment	standard

- Cold water/hot water
- Water heater - 25 l / 7 US Gal - engine run (+ 220 V, if Electricity Pack)
- Additional freshwater supply- 200 l / 53 US Gal
- Hot/cold water cockpit shower hose
- Plumbing board + Expansion tank

	Daysailer	Weekender	Cruiser
Electricity Pack		Optional equipment	Optional equipment

- Full 220 V system: 4 Inside sockets, 40 Amperes battery charger, Shore power socket
- 2 80 amperes additional service batteries
- Navigation light & Interior lighting - Indirect - LED

	Daysailer	Weekender	Cruiser
Exterior equipments Pack	Optional equipment	standard	standard

- Fixed composite arch with incorporated LED lighting
- 2 Blocks "Stand Up" - Mainsail sheet
- Aft platform

	Daysailer	Weekender	Cruiser
Mooring Pack		Optional equipment	Optional equipment

- Electric windlass - 1000 W + Remote control
- Bow roller
- Mooring kit (Anchor-Chain-Line)

	Daysailer	Weekender	Cruiser
Outside protections Pack	Optional equipment	Optional equipment	Optional equipment

- Hawasers
- Fenders
- White PVC protective covers (Steering wheel consoles)
- 2 halyard bags

	Daysailer	Weekender	Cruiser
Pack Electronic	Optional equipment	Optional equipment	Optional equipment

- 1 Display "T41 B&G Triton" (To port steering console)
- Wind Sensor (Windvane, Anemometer)
- Sensor (Loch, Speedometer, Temperature)
- SonicHub (Radio, Dock IPHONE, USB) - Interior loudspeakers - Exterior loudspeakers

	Daysailer	Weekender	Cruiser	Module for altering the boat		Daysailer	Weekender	Cruiser	Module for altering the boat
INTERIOR					EXTERIOR				
Fitted galley Pack		Optional equipment	standard	Yes	Exterior equipments Pack	Optional equipment	standard	standard	Yes
Private forecabin Pack		Optional equipment	standard	Yes	Mooring Pack		Optional equipment	Optional equipment	Not (1)
Aft cabins Pack		Optional equipment	standard	Yes	Outside protections Pack	Optional equipment	Optional equipment	Optional equipment	Yes
Aqua Pack		Optional equipment	standard	Not (1)	Pack Electronic	Optional equipment	Optional equipment	Optional equipment	Yes
Additional stowage in the saloon Pack	Optional equipment	Optional equipment	standard	Yes					
Electricity Pack		Optional equipment	Optional equipment	Not (1)					(1) to be selected following definition of the boat

"Tailor-made" options:

Rigging - Sails

- Asymmetric spinnaker gear
- Self-tacking jib hardware
- Removable forestay + Tackle
- Chain plate (Releasable Forestay)
- Electric winch - Genoa sheet H46.2STCEH, In place of standard
- Port electric coachroof winch H40.STCEH, In place of standard
- Coach roof winch to starboard - manual H35.2STC + Clutches, In place of standard

- Asymmetric spinnaker
- Tacking jib (Replacing the genoa)
- Code 0 on furler
- Anodised mast furling system with mainsail
- Easy Sail (Genoa traveller adjustment from cockpit, Clutches on genoa sheet blocks, Backstay adjustment - Except on mast with in-mast furling)
- 2 Flag halyards

Hull - Deck - Cockpit

- Inflatable gangway
- Inflatable swimming pool
- Pump for tender or inflatable structure (12 V)
- Outboard engine - Bracket
- Bow thruster
- Shore freshwater supply
- Sea water foot pump
- 3 retractable blades propeller
- Grey "Perle" hull or Grey-blue
- Windlass control in cockpit with chain counter - lit
- 1st bow roller
- 2nd bow roller + Bobstay

- Helm seats
- Solid wood slatted helm seats
- Silver Coachroof sprayhood
- Silver Cockpit Bimini
- Silver Cockpit cushions
- Cockpit table - Removable (Interior/ Exterior)
- Cockpit table - De Luxe
- PVC cover (White), Cockpit table - "De Luxe"
- Benches + Solid wood decking on cockpit bottom
- Solid wood slatted catwalks
- Solid wood slatted aft platform
- Antifouling
- Cockpit shower

B&G Electronic

- Multifunction screen B&G Zeus T7, Port cockpit
- Multifunction screen B&G Zeus T8, Chart table
- Pilot B&G AC42 + Control
- 4G Radar
- Simrad RS35 VHF, function AIS receiver
- Module - Wifi
- AIS 400

Interior equipment

- TV LCD 22" in the saloon, Player DVD, MP3
- Comfort Interior upholstery (Chine Beige or Chine Moka fabric), Saloon & Mattress (HR35kg/m3 foam)
- Double berth in saloon
- Slatted bed base
- Microwave
- Forced air heating fuel
- Air conditioning
- Mosquito nets
- Inverter - 12 V
- Diesel filter
- VacuFlush electric toilet (Holding tank: 53 l / 14 US Gal, In place of standard)
- Ventilators (Saloon + Cabin)
- Wardrobe trunk + suiter Longchamp
- Accessory set Longchamp (2 shirt covers, 2 toiletry bags)
- Additional pouffe in saloon
- Saloon table
- Separate shower (to starboard for 2 cabins versions, to port for 3 cabins versions)
- Wooden companionway steps
- Separation curtain (Saloon / Forward cabin)
- Hanger closets - Wooden

BENETEAU - ZI des Mares - BP 66 - 85270 SAINT HILAIRE DE RIEZ - France. <http://www.beneteau.com>
Head office: SPBI - BP 45 - 85170 DOMPIERRE SUR YON

10/10/2013 Code Beneteau 12252 (F) Eng Descriptions, illustrations, etc are provided only for your guidance. Our models may undergo some standard modifications or improvements without notice